This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

PALATABLE PRESCRIBING

LANE MEDICAL LIBRARY STANFORD
2 45 0062 1615

5502

113636

atise on
bing.

DATE DUE

Medicine formulas, receipts, prescriptions

Date Due

Library Bureau CAT. NO. 1137

~~5503~~ 113636

A PRACTICAL TREATISE

ON

PALATABLE PRESCRIBING,

CONTAINING

THE FAVORITE FORMULARY

OF THE MOST EMINENT

MEDICAL AND SURGICAL AUTHORITIES,

COLLATED FROM

THEIR PUBLISHED WRITINGS AND PRIVATE RECORDS.

AND

EMBRACING A RESUMÉ

OF

THE MOST ELIGIBLE PRESCRIPTIONS FOR THE ADMINISTRATION

OF

RECENT ADDITIONS TO THE MATERIA MEDICA.

LANE LIBRARY

BY

B. W. PALMER, A. M., M. D.,

Author of Favorite Prescriptions of Distinguished Practitioners, Member of the New York County Medical Society, the New York Medico-Legal Society, Etc.

SECOND EDITION, ENLARGED AND REVISED.

DETROIT.
GEORGE S. DAVIS.
1885.

COPYRIGHT BY
GEORGE S. DAVIS.
1885.

P18
1885

Ethan A. Smith.
B. H. M. C.
Nov. 29th '87.

PREFACE TO THE FIRST EDITION.

In no department of the practice of medicine has there been within recent times such a complete revolution as in that of the exhibition of medicines.

The nauseating doses of infusions, decoctions and incompatible mixtures that not many years ago made the advent of the doctor feared by the hapless patients who were the victims of this universal practice of poly-pharmacy, have given place to the elegant elixirs, the convenient capsules, the infinitesmal granules, and other far more scientific and acceptable forms of medication than those formerly in vogue.

To-day medicine may be exhibited without offending the taste of the most sensitive palate, and, with the aid of modern pharmacy, the doctor can now not only select a palatable combination of remedies, but, with hitherto unattainable nicety, can adjust his prescriptions to the therapeutic end to be accomplished.

It is believed that by gathering and arranging the material that exists in the records of the hospital and private practice, and in the published writings of eminent American, English, French, and German medical authorities, and supplementing such material by the addition of the most desirable formulæ for the administration of the new drugs which recent therapeutic research has contributed to the materia medica, a mosaic of palatable prescriptions will be formed which will be acceptable to many practitioners.

In this little compilation the author has endeavored to fulfill, as far as possible, the objects detailed.

B, W. P.

113636

FEB 2 1949

PREFACE TO THE SECOND EDITION.

The short time which has elapsed since the publication of the first edition of this little compilation has rendered impracticable any radical changes in its scope or contents.

The text has, however, been carefully revised, prescriptions for the use of Cocaine Hydrochlorate added, and the form of the book improved, and it is hoped that the second edition will meet with the appreciation accorded the first.

B. W. P.

I.

GENERAL DISEASES.

Scrofula.

℞ Potass. Iodidi.....
Potass. Chlorat.....ää ʒ j.
Potass. Bicarb..... ʒ iij.
M. Div. in pulv. xij. Sig. One night and morning in half a pint of warm milk.

—*Erichsen.*

Malarial Fever.

℞ Tr. Cinchonæ..... ℥ j.
Tr. Cinnamon..... ʒ j.
Acid. Sulph. Aromat..... ʒ ij.
Vini Hockheim..... Oj.
M. Sig. Four tablespoonfuls twice a day.

—*Niemeyer.*

Lithic Diathesis.

℞ Magnesiæ..... gr. vj.
Potass. Bicarb..... gr. xij.
Potass. Tartrat..... gr. xv.
M. Ft. pulv. Sig. One powder in a wineglassful of water every evening.

—*Sir B. Brodie.*

Strumous Affections.

℞ Iodi..... ☽ j.
Potass. Iodidi..... ☽ jss.
Aquæ destil..... ℥ j.
M. Dose, six drops twice a day.

—*Lugol.*

Uric Acid Diathesis.

℞ Potass. Bicarb..... ℈ j.
Potass. Nitrat..... gr. v.
Aquæ..... ℥ x.
M. Et adde
Acidi Citrici..... gr. v.
To be taken early in the morning.

—*Erichsen.*

Acute Rheumatism.

℞ Acidi Hydrocyanici dil..... ʒ ij.
Aquæ destil..... ʒ vj.
M. Apply locally by means of a camels-hair brush.

—*Dr. Fuller.*

Diphtheria.

℞ Sulphate Quinia..... ʒ ss.
Chlorate Potassa..... ʒ j.
Tr. Chloride of Iron..... ʒ ij.
Syr..... ℥ iij.
Glycerine..... ℥ ss.
M. Dose for a child six years old one teaspoonful every three hours. Nutriment in the shape of beef extract and milk and spirits vini gallici in asthenic cases.

—*Dr. J. B. Richards.*

Scrofulous and Tuberculous Glands.

℞ Calcii Sulphid..... gr. j.
Aquæ..... ℥ j.
M. A tablespoonful every hour.

—*Dr. S. Ringer.*

Remittent Fevers.

℞ Warburg's Tincture..... ℥ j.
Sig. One-half ounce to be given without dilution after the bowels have been evacuated by any convenient purgative, all drink being withheld. In three hours another half ounce to be administered in the same way. Any symptoms of debility to be combated with stimulants.

—*Dr. Maclean.*

Acute Articular Rheumatism.

℞ Fl. ext. Jamaica Dogwood..... ♏xv.
Sig. This amount every two to eight hours as an anodyne.
—*Dr. W. H. Rouse.*

Asthenic Inflammatory Fever.

℞ Tinct. Camph. Co..... ♏xx.
Ammon. Carb..... gr. v.
Decoct. Senegæ..... ℥ iss.
Ft. Haustus.
—*Erichsen.*

Typhoid Fever.

℞ Liq. Ammon. Acet..... ʒ iij.
Vini Opii..... ♏xv.
Mucil. Acaciæ..... ℥ j.
Aquæ..... Ojss.
M. The whole to be taken in the course of the day.
—*M. Michel.*

Purpura Hæmorrhagica.

℞ Tr. Rhus Aromat.....
Glycerini.....ää ℥ ij.
Sig. Teaspoonful every four hours.
—*Dr. J. A. Munk.*

Measles.

℞ Ipecacuanhæ..... gr. vj.
Syr. Simplicis..... ℥ ss.
Aquæ..... ℥ vj.
M. A tablespoonful three times a day when opium is contraindicated.
—*Niemeyer.*

Variola.

℞ Sodæ Sulph. Carbolatis..... gr. vij.
Int. Aurantii..... ℥ j.
Misce et sig. This amount three times a day.
—*Dr. A. Wynne Foot.*

Diabetes Insipidus.

℞ Fl. ext. Rhus Aromatica..... ℥ j.
Glycerine..... ℥ ss.
Water, q s., ad..... ℥ iv.
M. Sig. One teaspoonful four times per day.
—*Dr. James Cooper*

Typhoid Diarrhœa and Tympanitis.

℞ Acidi Carbolici..... gr. 1-6.
Ext. Opii..... gr. 1-6.
Bismuth Subnitrat..... gr. iij.
Ft. pilula. Sig. One pill of this formula three times a day.
—*Dr. A. Hudson.*

Scarlatina.

℞ Acidi Hydrochlorici..... ʒ j.
Aquæ destil..... ℥ xiv.
Syrupi..... ℥ ij.
M. et Sig. Two ounces frequently.
—*Dr. Gregory.*

Obstinate Cases of Chronic Malaria.

℞ Fl. ext. Eucalyptus Globulus.....
Glycerine.....
Simple Syrup.....āā ℥ iv.
M. Sig. One teaspoonful once in four hours.
Dr. D. E. Smith.

Saccharine Diabetes.

℞ Ammon. Carb..... ʒ ss.
Sp. Sacchari (Rum)..... ..... ʒ v.
Syr. Simplicis..... ʒ v.
Aquæ..... ℥ iij.
M. Half to be taken morning and night.

—*Bouchardat.*

Rheumatism and Rheumatic Gout.

℞ Chaulmoogra Oil..... gtt. v.

Sig. This amount in a capsule the first night treatment is instituted. Two 5 gtt. capsules the second night, and in long standing cases a 5 gtt. capsule after midday meal. Not to be taken on an empty stomach.

In addition to this the oil should be liquified by heat and applied locally.

—*Jno. Moss.*

Scrofula.

℞ Iodi..... gr. ij ad iv.
Aquæ destil..... Oj.
M. Ft. lotio.

—*M. Lugol.*

Low Fevers.

℞ Acidi Sulph. Alcoholisati..... ʒ ss.
Aquæ..... ℥ xij.
Syr. simplicis..... ℥ ss.
M. Pro potu communi.

—*French Hospital.*

Scarlatina.

℞ Tolu Chlori..... ʒ ij.
Aquæ..... Oj.
M. Sig. Cochl. j ad ij frequenter in die pro ratione aetatis.

—*Sir T. Watson*

Rheumatic Amaurosis.

℞ Hydrarg. Perchlor..... gr. j.
Tinct. Opii..... ʒ j.
Pulv. Acaciæ..... ʒ iij.
Aquæ destil..... ℥ vj.
M. A teaspoonful to be taken night and morning.

—*Langenbeck.*

Intermittent Fever.

℞ Tr. Grindeliæ Squarrosæ..... ℥ ij.
Tr. Ferri Chlor..... ʒ iij.
Syr. simplicis, q. s., ad..... ℥ iv.
M. S. Teaspoonful in water four times daily.

Also,

℞ Quiniæ Sulphatis..... ʒ ss.
Ext. Nucis Vom..... gr. v.
M. Ft. pills xx et sig. One pill three times a day.

—*Dr. D. M. Cool.*

A Prophylactic for Children Against Diphtheria.

℞ Potas. Chlor.....
Sod. Sulphitis.....ää gr. xv.
Acidi Muriatici ..... gtts. viij.
Aquæ puræ..... ℥ ij.
Syr. simpl..... ℥ ij.
M. Sig. A teaspoonful twice daily.

—*C. T. Poe, M. D.*

Coma from Fever.

℞ Moschi..... gr. x ad ℈ j
Tinct. Castorei..... ʒ ij.
Syr. Zingib..... ʒ ij.
Aquæ destil..... ℥ j.
M. Ft. Haustus.

—*Dr. E. J. Clark.*

Gout.

℞ Vini Sem. Colchici..... ℥ ss.
Potass. Iodidi..... ʒ ij.
Liq. Potass..... ℥ ij.
Tinct Zingiberis..... ℥ iss.
M. Sig. A teaspoonful twice daily in warm water.

—*Mr. Hodgson.*

Chronic Rheumatism.

℞ Fl. Ext. Manaca..... ℥ ij.
Sig. From five to twenty drops three times a day.

—*Dr. D. Winship.*

Typhoid Fever.

At the onset
℞ Fl. Ext. Jaborandi
In half drachm doses given in a little hot water every half hour until four doses are taken. In the meantime allow a little hot coffee to prevent sick stomach. Allow nc cold drink. This brings about a copious diaphoresis. In from four to six hours begin to give from two to four grains of quinia sulphate every three or four hours, and then
℞ Fl. Ext. Jaborandi..... ʒ j.
Fl. Ext. Aconite..... ..... gtt. x.
Water, q. s..... ℥ iv.
M. Sig. A teaspoonful every four hours between the doses of quinine. All solid food to be prohibited, but let the patient have four ounces of warm fresh milk every three hours.

Gout and Rheumatism.

℞ Calcii Sulphureti..... ..... ʒ j.
Dulcamaræ pulv..... ʒ ij.
Mellis q. s. ut ft. boli vj. Sumat j ter die.

—*Moench.*

For Sponging the Body in Fevers.

℞ Aceti com..... ℥ iv.
Aquæ..... ℥ xvj.
Misce.

—*Dr. Brande.*

In Scrofulous Enlargement of Lymphatics of Neck.

℞ Fl. Ext. Berberis Aquifol..... ℥ ss.
Syr. simplicis..... ℥ ij.
Aquæ..... ℥ ss.
M. Sig. One-half teaspoonful three times a day for child of two years.

—*J. G. Harvey, M. D.*

Scarlatina.

℞ Ammon. Chloridi.....
Potass. Chlorat.....ää ʒ j.
Ext. Belladonnæ..... gr. ss.
Tinct. Ferri Perchlor..... ʒ j.
Aquæ Cinnamomi.....
Aquæ.....ää ℥ ij.
M. Thirty to forty drops every two or three hours.

—*Dr. G. Baylis.*

Cough of Measles.

℞ Ol. Amygdalæ..... ℥ ij.
Syr. Papaveris.....
Syr. Tolutani.....ää ℥ j.
Pulv. Sacchari..... ʒ ij.
Ft. linctus de quo saepius aeger lambat urgente tussi.

—*Dr. E. G. Clark.*

Convalescence of Typhoid Fever.

℞ Bismuth Subnit..... gr. v.
Mucil. Acaciæ..... ʒ j.
Aquæ..... ʒ j.
M. To be taken three times a day.

—*Dr. J. Andrews.*

Indurated Glands Following Scarlet Fever.

℞ Calcii Sulphid..... gr. j.
Sacchar. Lactis..... gr. x.
M. ft. pulv. x et sig. One powder every hour or two.

—*Dr. S. Ringer.*

Yellow Fever.

℞ Quiniæ Sulph..... ʒ ss.
Calomel..... ℈ j.

M. ft. pulv. This is to be given at once. An hour after the same dose of quinine with 5 grains of James' Powder, and in two hours more ℥ iss Castor Oil. If the dose be vomited at first, repeat and apply a mustard plaster to epigastrium.

—*Dr. Cummins.*

Ague.

℞ Quiniæ Sulph..... gr. ij ad vj.
Morphiæ Sulph..... gr. ss ad j.

M. et div. in doses ij, iij or iv.

—*Majendie.*

Professor Clay's Formula for the Treatment of Cancer by Chian Turpentine.

℞ Chian Turpentine..... gr. vj.
Flowers of Sulphur..... gr. iv.

Ft. pil ij et sig. Two pills every four hours.

Typhoid Fever.

℞ Acid. Hydrochlor..... ʒ ss.
Syr. Simplicis..... ℥ j.
Mucil. Salepae..... ℥ vj.

M. Sig. Tablespoonful every two hours.

—*Niemeyer.*

Measles and Fevers Generally.

℞ Potass. Nitrat..... ʒ ij.
Decocti Hordei Co..... Oj.

M. Sig. Ad libitum.

—*Dr. Clark.*

Chronic Rheumatism.

℞ Pulv. Guaiaci..... ʒ ij.
Pulv. Rhei..... ʒ j.
Sulph. Subl..... ʒ ij.
Potass. Nitrat..... ʒ ij.
Syr. Papaveris, q. s.
Ft. electuarium. Dose, ʒ ss ad ʒ j.

—*Middlesex Hospital.*

Inflammations of Mucous Membranes, Such as Nasal Catarrh, Gonorrhœa and Leucorrhœa.

℞ Tr. Yerba Reuma..... ℥ j.
Water..... ℥ iij.
M. Sig. In nasal catarrh snuff one teaspoonful through each nostril three times daily. In gonorrhœa and leucorrhœa use as an injection.

—*Dr. J. H. Bundy.*

Infusorial Catarrh, Diphtheria and Scarlet Fever.

℞ Menthol..... gr. xv.
Carbolic Acid..... ʒ j.
Fl. Ext. Licorice..... ℥ ij.
Water..... ℥ xiv.
M. Sig. Gargle at will. This may be diluted with water.

—*Drs. Salisbury and Cutter.*

Diabetes.

℞ Rhus Aromatica..... ℥ j.
Glycerine..... ℥ iij.
M. Sig. Teaspoonful four times daily.

—*Dr. E. W. M'Cord.*

An Aperient in Gout.

℞ Tinct. Colchici sem..... ♏xv.
Mag. Carb..... gr. vj.
Sulph. Mag..... ʒ ss.
Aquæ Menth. Pip. ad..... ℥ j.
M. Ft. Haustus.

—*University Hospital.*

Painful Gout with Fever.

℞ Ext. Aconiti..... ʒ ss.
Vini Antimon..... ʒ ss.
M. Sig. From 5 to 10 drops to be taken three times a day.

—*Rust.*

Gout.

℞ Ext. Colchici Acet..... gr. ij.
Pulv. Ipecac Co..... gr. v.
Ft. pil duæ h. s. s.

—*St. George's Hospital.*

Typhus Fever.

℞ Tr. Castorei..... ʒ j.
Aetheris..... ♏x.
Tinct. Opii..... ♏vij.
Aquæ Cinnamomi..... ℥ ss.
M. Ft. haustus ter quotidie sumendus.

—*Dr. Hunter.*

Intermittent Fever.

℞ Ext. Berberis Aquifol., fl.....
Ext. Cas. Sagrad., fl.....ää ℥ j.
Syr. Sennæ Co..... ℥ ij.
M, Sig. A teaspoonful four times daily before meals and on retiring.

—*Dr. J. C. Dreker.*

Scrofula.

		A.	B.	C.
℞	Iodi.....	gr. ½	⅔	1
	Sodii Chlor.....	gr. 12	12	12
	Aquæ destil.....	Oj.	Oj.	Oj.

Solve ut fiant potus iodinii. (Made of three different strengths, to be used as occasion may require.

—*M. Lugol.*

Rickets and Scrofula of Children.

℞ Carbonis Animalis.....
Pulv. Glycyrrhizæ.....ää ʒ vj.
M. ft. pulv. Half or a whole teaspoonful twice a day.

—*Radius.*

Scrofulous Eruptions.

℞ Fl. Ext. Berberis Aquifol.....
Syrupi.....ää ℥ iv.
M. Sig. Teaspoonful every four hours.

—*Dr. H. Mallery.*

Lumbago.

℞ Linim. Camphoræ..... ℥ j.
Ol. Terebinth..... ʒ ij.
Saponis mollis pur..... ʒ iv.
M. ft. linimentum.

—*Dr. Fraser.*

Neuralgia and Rheumatism.

℞ Tinct. Cannabis Indicæ..... ♏xv.
Sp. Vini rectif..... ♏xlv.
M. ft. haustus. To be mixed with water at the moment of taking it.

—*Mr. Donovan.*

A Valuable Alterative Pill.

℞ Ext. Berberis Aquifolium..... gr. ij.
Ext. Cascara Sagrada..... gr. j.
M. Ft. pilula.

Variola.

℞ Acidi Sulphurosi..... ʒ j.
Aquæ..... ℥ ij.
M. To be taken three times a day.

—*Dr. A. Wynne Foot.*

Scarlatina.

℞ Ammon. Carb..... ʒ ij.
Aquæ destil..... ℥ v.

Two teaspoonfuls to be taken every three or four hours. When the difficulty of swallowing abates, cold water or toast water may be added to each dose.

—*Dr. Peart.*

To Cause Perspiration and Ease Pain in Rheumatism.

℞ Ext. Opii..... gr. x.
Antim. Sulphurati..... gr. xij.
Potass. Nitrat..... gr. xxiv.
Syrupi, q. s.
M. et ft. pil. vj quar. j nocte sum.

—*Recamier.*

Malarial Enlargement of the Spleen.

℞ Bromide of Potass..... ℥ ss.
Bromide of Ammonium..... ʒ vj.
Diluted Tr. of Gentian Quinqueflora..... ℥ vj.
M. Sig. Teaspoonful in water half an hour before meals.
And
℞ Fl. Ext. Gelsemium..... gtt. iij.
Sig. Half an hour after meals.

—*Dr. C. H. Yelvington.*

Gargle in Diphtheria.

℞ Aluminis pulv..... ʒ ij.
Tannin pulv..... ʒ j.
Aq. Salviæ..... ℥ vj.
Glycerine..... ℥ ij.
Acid. Carbol. solut. fortiss..... gtt. xxiv.
M. ft. gargarisma.

Last Stage of Typhus.

℞ Moschi..... gr. x.
Aetheris.....
Tinct. Opii.....āā ♏x.
Aquæ Cinnamomi..... ℥ j.
M. ft. haustus.

—*Dr. Hooper.*

Ozena.

℞ Tr. Berberis Aquifolium..... ℥ iv.
Kali Iodidi..... ℥ j.
Aquæ dest.....
Syr. Simplicis, āā q. s. ad..... ℥ iv.
M. Sig. Teaspoonful four times daily.
In addition to the above:
℞ Fluid Ext. Yerbæ Reumæ..... ℥ j.
Aquæ dest..... ℥ iij.
M. Sig. Snuff one teaspoonful three times daily.

—*Dr. Bundy.*

Diabetes.

℞ Acidi Lactici..... ʒ ij.
Aquæ..... ℥ x.
M. To be taken in wineglassfuls as often as desired.

—*Dr. G. W. Balfour.*

Diabetes.

℞ Ol. Morrhuæ..... ℥ ss.
Liq. Ammoniæ..... ♏ v.
M. Sumatur ter die. The dose to be gradually increased to five or six times the quantity.

—*Dr. Bence Jones.*

Early Stage of Fever.

℞ Potass. Nitrat..... ʒ ij.
Acid Nit. dil..... ʒ j.
Decoct. Hordei..... lb. ij.
M. Consumatur in die.

—*Dr. Graves.*

II.

DISEASES OF THE DIGESTIVE SYSTEM.

Nervous Dyspepsia.

℞ Sodii Bromidi..... ℥ j.
Pepsin Sacch.....
Lig. Carb. Pulv.....ää ʒ iij.
Aquæ..... ʒ iv.
M. Sig. A teaspoonful three times a day in water after meals.
—*Dr. Wm. A. Hammond.*

Chronic Diarrhœa.

℞ Bismuthi Subnitrat..... gr. v.
Morphiæ Sulph..... gr. $\frac{1}{12}$.
M. Sig. This much two or three or more times daily.
—*Dr. Alonzo Clark.*

Hepatic Derangement.

℞ Fl. Ext. Cascara Amarga..... ℥ ij.
Syr. Simpl..... ℥ ij.
Ferr. dialysat ..... ℥ iij.
Spir. Vin. Gallici, q. s. ad..... ℥ xvj.
Absynth. (Wormwood, Swiss)..... ♏xv.
M. Sig. Teaspoonful four times daily.
—*Dr. A. F. Stimmel.*

Chronic Gastric Catarrh.

℞ Bismuthi Subnitrat..... gr. x.
Argent. Nitrat..... gr. j to ij.
M. To be given on an empty stomach before breakfast.
—*Niemeyer.*

Anthelmintic Pill.

℞ Santonin..... gr. j.
Calomel..... gr. j.
M. Ft. pilula.

Gastrodynia Following Meals.

℞ Ferri Sulph..... gr. ij.
Pulv. Aloes..... gr. j.
Pulv. Cinnam. Co..... gr. v.
M. ft. pil. ij ter die sum.

—*Dr. Abercombie.*

Epidemic Dysentery.

℞ Strychniæ Sulphat..... gr. ¼.
Acid. Sulphuric. dil..... ℥ ss.
Morphiæ Sulphat..... gr. ij.
Aquæ Camphoræ..... ℥ iijss.
M. Sig. A teaspoonful every hour or two well diluted.

—*Bartholow.*

Anti-Bilious Pill.

℞ Ext. Coloc. Co..... gr. ijss.
Podophyllin..... gr. ¼.
M. Ft. pilula.

Simple Infantile Diarrhœa.

℞ Calcined Magnesia..... 10 grammes.
Prepared Cream.....
Subnitrate of Bismuth.....ää 2 grammes.

Sig. A portion of this powder to be given every day at each meal. A tepid bath should be given each day and a starch injection. Diet: milk with a little alkaline water.

—*Dr. Simon.*

Habitual Constipation.

℞ Fl. Ext. Cascara Sagrada..... ℥ j.
Fl. Ext. Berberis Aquifol..... ℥ ss.
Syr. Pruni Virginiana..... ℥ jss.
Ext. Hyoscyami, fl..... ℥ jss.
M. Sig. Teaspoonful three times a day.

—*Dr. J. W. Van Winkle.*

Gastrodynia.

℞ Bismuth Subnit..... ℈ iv.
Morph. Sulph..... gr. j.
Potass. Cyanuret..... gr. ij.
Div. in chart. No. 16. Sig. One after each meal.

—*Dr. Benjamin Lee.*

Nourishment in Ulcer of the Stomach.

℞ Sang. Bov. Exsic..... ʒ j.
Aquæ puræ..... ℥ viij.
M. Ft. Sol. Sig. Teaspoonful every 20 minutes.

—*R. Humphrey Stevens, M. D*

Summer Diarrhœa of Children.

℞ Tr. Rhus Aromat..... ℥ ss.
Sig. Three drops in water after each stool with observance of proper diet.

—*Dr. McClanahan.*

Summer Diarrhœa of Children.

℞ Ext. Sarracenia Flava, fl..... ʒ ss.
Bismuthi Subnit..... ʒ ij.
Syrup..... ℥ ss.
Aq. destilat..... ℥ jss.
M. Sig. Teaspoonful after every operation of the bowels.

To adults suffering from acute or chronic diarrhœa 15 drop doses of the fluid extract Sarracenia Flava after each dejection will often afford prompt relief.

—*Dr. J. Dabney Palmer.*

To Produce Prompt Catharsis.

℞ Ol. Tiglii..... gtt. ss.
Elaterin..... gr. $\frac{1}{24}$.
Atropiæ Sulph..... gr. $\frac{1}{80}$.

M. Ft. pilula. This will often produce a free discharge within an hour.

—*Dr. F. C. Herr.*

Dyspepsia, Due to Want of Tone of the Stomach.

℞ Sodii Bicarbonatis..... grs. v.
Tr. Nucis Vomicæ..... ♏v.
Tr. Capsici..... ♏ijss.
Cascara Cordial, q. s., ad..... ʒ j.

M. Sig. Teaspoonful either before or after meals, being guided by the effect we wish to produce.

—*Dr. F. E. Stewart.*

Tape-Worm.

The following formulæ for the treatment of tape-worm are suggested by Dr. Willard H. Morse:

℞ Ol. Filicis Maris ..... ʒ j.
Syr. Tolu..... ♏xxx.

M. Take half of this as a dose.

℞ Fl. Ext. Filicis Maris..... ♏xxx.
Syr. Zingiberis.....
Muc. Acaciæ.....ää ʒ ij.

M.

℞ Pumpkin Seeds..... ʒ xx.
Sugar..... ʒ iij.
Eth. Ext. Male Fern..... ʒ ij.
Decoct. Pomegranate Root..... ℥ x.

M. Sig. Give this in four doses with 15 minutes interval.

℞ Filicis Maris..... ʒ j.
Syr. Simp..... ʒ xijss.

M. Sig. Take in one dose and follow in two hours with an ounce of castor oil.

℞ Oleo-Resinæ Filicis ..... ʒ ss.
Etheris..... ʒ ss.
Kousso..... ʒ vj.
Kamalæ..... ʒ jv.

Typhoid Diarrhœa with Endometritis.

℞ Cascaræ Sagradæ..... ʒ ijss.
Berberis Aquifolii..... ʒ ij.
Piscidiæ Erythrinæ..... ʒ ij.
Syrup. Simp..... ℥ iij.

M. Sig. A teaspoonful every three hours and local applications to vulva of ʒ ij Grindelia Robusta to half pint of warm water to be repeated every hour.

—*Dr. H. C. Shipley.*

Hæmorrhoids.

℞ Ung. Hydrarg. Nitratis..... ʒ j.
Ol. Amygdalæ dulcis..... ʒ vij.

M. ft. linimentum cujus pauxillum bis in die utend.

—*Coulson.*

As a Laxative.

℞ Pulv. Glycyrrhizæ Co..... ℥ j.

Sig. A teaspoonful in water to be taken occasionally at bed time.

—*Dr. Priestly.*

Constipation of Dyspepsia.

℞ Ext. Berberis Aquifol., fl.....
Ext. Cas. Sag., fl.....ää ℥ j.
Ext. Œnothera biennis, fl..... ℥ jss.
Syr. Sennæ Comp..... ℥ iijss.

M. Sig. A teaspoonful three or four times a day according to effect on the bowels. The syrup senna should be hot when mixed with the extracts.

—*Dr. J. C. Dreker.*

Jaundice.

℞ Pulv. Rhei..... ℈ ss.
Potass Tart..... ʒ j.
Pulv. Cretæ Aromat..... ℈ j.
Aquæ Menthæ Viridis..... ℥ ij.

M. ft. haustus. octavis horis sumendus.

—*Dr. Clark.*

Ascarides.

℞ Santonini..... gr. ij
Pulv. Scam. Co..... gr. viij.
M. ft. pulv.

—*Dr. Guy.*

Portal Congestion with Hæmorrhoids.

℞ Fl. Ext. Rhamni Pursh..... gtt. xv.
Sig. This amount three times a day.

—*Dr. J. E. Clark.*

Tonic Pill.

℞ Strychnine Citrate..... gr. $\frac{1}{50}$.
Iron Citrate..... gr. ij.
M. Ft. pilula.

Aperient in Use at St. George's Hospital.

℞ Inf. Gentianæ..... ʒ vj.
Inf. Sennæ..... ʒ iij.
Tr. Card. Co..... ʒ j.
M. Ft. haustus.

Chronic Cirrhosis of the Liver with Gastro-Enteritis.

℞ Fl. Ext Cascaræ Sagradæ..... ʒ ij.
Fl. Ext. Berberis Aquifol..... ℥ ss.
Syr. Pruni Virg..... ℥ j.
Acidi Hydrocyan dil..... ʒ j.
Morph. Sulph..... gr. ij.
M. Sig. Teaspoonful three times a day.

—*Dr. J. W. Van Winkle.*

Obstinate Constipation.

℞ Pulv. Belladonnæ.....
Ext. Belladonnæ.....ää gr. $\frac{1}{4}$.
Ft. pil. Sig. Take at bed hour.

—*Trousseau.*

An Excellent Hydragogue Cathartic.

℞ Elaterii..... gr. $\frac{1}{18}$.
Ext. Hyoscy..... gr. iv.
M. Ft. pilula.

—*St. Mary's Hospital.*

Internal Piles.

℞ Tinct. Ferri Perchlor..... ♏x.
Aquæ..... ℥j.
Ft. injectio.

—*Erichsen*

Stomatitis Ulcerosa.

℞ Ferri et Ammon. Citr.....
Ammon. Carb.....āā gr. v.
Aquæ..... ℥j.
Ft. haustus quarta quaque hora sumendus. (The ulcers to be touched with acid. nitric. dil.)

—*F. W. MacKenzie.*

Debility and Indigestion.

℞ Ferri Lactatis..... ʒj.
Pulv. Glycyrrhizæ..... ʒj.
Mellis, q. s. ut fiant pil xl.
Sig. One to six to be taken daily.

—*M. Trousseau.*

Anti-Dyspeptic Pill.

℞ Strychnine..... gr. $\frac{1}{40}$.
Ext. Belladonna..... gr. $\frac{1}{10}$.
Powd. Ipecac..... gr. $\frac{1}{10}$.
Blue Mass..... gr. ij.
Ext. Colocynth Co..... gr. ij.
M. Ft. pilula.

Diarrhœa Where Alkaline Treatment is Indicated.

℞ Fl. Ext. Yerbæ Reumæ..... ʒ ij.
Tr. Aconite rad..... ʒ ss.
Syr. Orange Peel..... ..... ℥ jss.
Aqua..... ℥ ij.
M. Sig. Teaspoonful every three hours.

—*Dr. C. H. Adair.*

To Expel Tape-Worms.

℞ Ext. Alcohol. rad. Granati..... ʒ vj.
Aquæ Menthæ.....
Aquæ flor. Tiliæ..... .....
Succi Limon.....ää ℥ ij.
A fourth part every four hours.

—*Deslandes.*

Strangulated Umbilical Hernia When First Trial of Taxis Fails.

℞ Hydrarg. Subchlor..... gr. vj.
Pulv. Opii..... gr. iij.
M. et div. in pulv. iij. One every second hour. Ice bladder to be applied when second powder is given.

—*Erichsen.*

Chronic Gastritis.

℞ Fl. Ext. Cascara Sagrada..... gtt. x.
Fl. Ext. Wood Betony..... gtt. xxv.
Tr. Card. Co.....
Simple Syrup.....ää ʒ ss.
M. Sig. Three times a day before meals.

—*Dr. G. Padiera.*

Enlarged Spleen.

℞ Ferri Sulph..... gr. v.
Quin. Sulph..... gr. iij.
Glyc. Tragacanth, q. s.
Ft. pilula. Sig. To be taken four times a day.

—*Dr. Farre.*

Palmer's Anti-Constipation Pill.

℞ Purified Aloes..... gr. j.
Ext. Henbane..... gr. j.
Ext. Nux Vomica..... gr. $\frac{1}{8}$.
Powd. Ipecac..... gr. $\frac{1}{10}$.
M. Ft. pilula.

An Emetic for Young Children.

℞ Vini Ipecac..... ℥ ss.
Vini Antimon..... ℥ ss.
Syr. Simplicis..... ʒ ij.
Aquæ..... ℥ j.
M. ft. nuct. cujus sumar j, ij vel iij dr. sæpe, ad emesem.

—*Dr. Evanson.*

A Purgative for Young Children.

℞ Pulv. Jalapæ..... gr. ij.
Pulv. Rhei.....
Pulv. Cinnam.....ää gr. j.
M. ft. pulv.

—*Mr. Savory.*

Cathartic and Diuretic.

℞ Tinct. Jalap..... ʒ ij.
Aceti Scillæ..... ʒ j.
Aquæ Menthæ..... ʒ j.
M. ft. haustus ter in die sumendus.

—*Dr. Ellis.*

A Refrigerant Laxative.

℞ Potass. Bisulph.....
Sodæ Carb.....ää ʒ j.
Dissolve separately in two ounces of water, mix and take while effervescing.

—*Dr. Barker.*

Ulcerated Piles.

℞ Ext. Scammoni..... ʒ ss.
Morph. Hydrochlor..... gr. ivss.
Ovi unius vitellum.
M. Ft. liniment.

Pledgets of tow dipped in this to be applied to the hæmorrhoidal tumors.

—*Trousseau.*

Cholera Morbus.

℞ Fl. Ext. Jamaica Dogwood..... ʒ j.

To be taken after first emesis and repeated if necessary.

—*Dr. E. S. Richardson.*

Relaxation of Uvula.

℞ Inf. Salviæ..... Oj.
Acid Sulph. dil..... ʒ iv.
Mellis Rosæ..... ..... ℥ j.
M. ft. gargarisma.

—*Radius.*

Anthelmintic for Round Worm and Ascaris Vermicularis.

℞ Fl. Ext. Spigeliæ et Sennæ ..... ℥ j.
Santonini..... gr. viij.
M. Sig. Teaspoonful to a child of five.

—*J. Lewis Smith, M. D.*

Cancrum Oris.

℞ Potass. Chlorat..... ʒ ss.
Syrupi..... ʒ ijss.
Aquæ destil..... ʒ xijss.
M. Sig. To be given in the course of the day in tablespoonful doses.

—*Mr. Hunt.*

Diarrhœa of Teething.

℞ Pulv. Ipecac Co.....
Hydrarg. c. Creta.....ää gr. j.
M. ft. pulv. hora somni sumendus.

—*Dr. West.*

Irritative Dyspepsia with Emesis.

℞ Fl. Ext. Cascara Sagrada..... ℥ ss ad ℥ j.
Fl. Ext. Berberis Aquifolium..... ℥ j.
Acidi Hydrocyanici dil..... ʒ j.
Syrup or (ext. malt) q. s. to make a four ounce mixture.
M. Sig. A teaspoonful after meals and at bed time.

—*Dr. J. H. Bundy.*

Fissure or Ulcer of Anus.

℞ Ext. Belladonnæ..... ...
Plumbi Acet.....ää gr. ij.
Tannin..... gr. iv.
Sevi præp. q. s. ft. suppositorium.

—*Erichsen.*

Chronic Diarrhœa.

℞ Rad. Bistortæ.....
Cort. fr. Granati..... ʒ ijss.
Aquæ ferventis..... Oss.
Infunde cola et adde
Vin. Opii ..... ♏v.
Ft. enema.

—*M. Bouchardat.*

Laxative for Children.

℞ Mannitæ..... ʒ ss.
Aquæ Menthæ Pip..... ℥ ss.
Solve ut ft. haustus.

—*Dr. Neligan.*

Painter's Colic.

℞ Pulpæ Cassiæ..... ℥ j.
Aquæ ferventis..... Oij.
Macera, cola, et add.
Magnes. Sulph..... ℥ j.
Antim. Tart..... gr. iij.
M. Sig. Wineglassful at a dose.

—*French Hospital.*

External Piles.

℞ Ung. Zinci..... ℥ j.
Liq. Plumbi Subacetat.....
Liq. Opii.....ää ʒ ss.
M. Ft. Ung. Bis in die parti affecti applicandum.

—*Coulson.*

Ulcerated Mouth, or Mercurial Salivation.

℞ Potass. Chlorat..... ʒ j.
Aquæ..... ℥ vj.
Sig. Two tablespoonfuls three times a day as a gargle.

—*Farquharson.*

Prolapse of the Rectum Following Dysentery.

℞ Liq. Ergot Purificat..... gtt xxx.
Sig. This amount every two hours.

—*Dr. C. W. Davis.*

Rum Stomach.

℞ Tr. Nucis Vomicæ..... ♏v ad xv.
Tr. Gentianæ Co.....
Tr. Columbæ Co.....ää ʒ j.
M. Sig. Before meals.

—*Dr. Alfred L. Loomis.*

Dysentery.

℞ Blue Pill..... gr. j.
Gelsemin..... gr. ½.
Powd. Ipecac..... gr. j.
M. Ft. pilula.

To Allay Nausea and Vomiting.

℞ Liq. Calcis.....
Lactis recentis.....āā ℥ iv.

Give a tablespoonful at intervals of an hour or two, or oftener if required.

—*Dr. Wood.*

Colic, Spasms, Etc.

℞ Ol. Cajuputi..... ♏v.
Mag. Carb. Levis..... gr. ij.
Aquæ..... ℥ j.
M.

—*Dr. Morrell Mackenzie.*

Dr. Christopher's Liver Pill.

℞ Calomel..... gr. ij.
Rhubarb..... gr. j.
Powd. Ipecac..... gr. ½.
M. Ft. pilula.

Chronic Diarrhœa of Children.

℞ Pulv. Calcis Phosph..... gr. xv.
Bismuth Subnit..... gr. xv.
Pulv. Sacchari..... gr. 75.
M. div. in chart. v. Sumat j inter cibos nocte maneque.

—*Trousseau.*

To Expel Tapeworms.

℞ Cambogiæ..... ℈ss.
Ferri Sulph..... gr. vj.
Sacchari albi ..... ℈j.
Ol. Menthæ Pip..... ♏iij.

M. ft. pulv. Dentur tales doses vj. One to be taken every four hours till they have sufficiently operated.

—*Vogt.*

Tapeworm.

Eat no solid food for 48 hours. Then take a tablespoonful of castor oil. The following morning take eight capsules each containing

℞ Ext. Male Fern.....
Ext. Kamala.....ää gr. v.

In half an hour repeat the dose of capsules and castor oil, taking them at the same time.

—*Dr. S. M. Ward.*

Chronic Constipation of Long Standing.

℞ Fl. Ext. Cascara Sagrada..... ℥j.
Fl Ext. Berberis Aquifolium..... ℥j.
Syrup..... ℥j.

M. Sig. Teaspoonful three or four times a day.

—*Dr. J. G. Sutton.*

Elongated Uvula.

℞ Ammon. Chloridi..... ...
Potass. Nitrat.....ää ʒj.
Pulv. Capsici..... .... ℥ss.

M. Apply by means of camels-hair pencil.

—*Dr. Granville.*

Acute Gastric Catarrh.

℞ Tannin..... ℈ss.
Aquæ destil..... ℥iij.

M. Sig. Teaspoonful every two hours where there is great purging and no vomiting.

—*Niemeyer.*

Aphthæ.

℞ Mellis Optimi..... ʒ v.
Acidi Sulphurici (pondere)..... ℈ j.
M. To be applied by means of a camels-hair brush.

—*Prof. Lippich.*

Constipation with Excessive Dryness of Stools.

℞ Cascara Cordial..... ℥ iv.
Fl. Ext. Lobelia..... ʒ ij.
M. Dose. Two teaspoonfuls.

Dyspepsia with Inactive Liver.

℞ Acidi Nitrici dil..... ʒ ij.
Sp. Aetheris Nit..... ʒ ij.
Syrupi..... ℥ ss.
Aquæ..... ℥ vijss.
M., sumatur pars sexta ter die.

—*Dr. Smith.*

Stomatitis.

℞ Acid. Hydrochlor..... ʒ ij.
Syr. Mori..... ℥ ij.
M. ft. eollutorium part. affectis applicandum.

—*Wendt.*

Constipation Due to Perverted or Deficient Intestinal Secretion

℞ Fl. Ext. Cascaræ Sagradæ.....
Syrup Simplicis (or ext. malt).....
Aquæ.....ää ℥ j.
M. Sig. A teaspoonful three or four times daily.

—*Dr. J. H. Bundy.*

Simple Indigestion.

℞ Acidi Lactici..... ʒ j.
Aquæ..... Oj.
Syr. Simp. (vel aurantii)..... ℥ j.
A wineglassful several times a day.

—*Majendie.*

To Expel Tapew[illegible]

℞ Cambogiæ.....
Ferri Sulph.....
Sacchari albi.....
Ol. Menthæ Pip.....
M. ft. pulv. Dentur tales doses vj. [illegible] hours till they have sufficiently operated.

Tapeworm.

Eat no solid food for 48 hours. Then [illegible] oil. The following morning take eight [illegible]
℞ Ext. Male Fern.....
Ext. Kamala.....
In half an hour repeat the dose of [illegible] them at the same time.

Chronic Constipation of L[illegible]

℞ Fl. Ext. Cascara Sagrada.....
Fl Ext. Berberis Aquifolium.....
Syrup.....
M. Sig. Teaspoonful three or four [illegible]

Elongated Uvula.

℞ Ammon. Chloridi.....
Potass. Nitrat.....
Pulv. Capsici.....
M. Apply by means of camels-hair [illegible]

Acute Gastric Cat[illegible]

℞ Tannin.....
Aquæ destil.....
M. Sig. Teaspoonful every two h[illegible] purging and no vomiting.

Dyspepsia with Constipation.

℞ Fl. Ext. Cascara Sagrada..... ℥ j.
Fl. Ext. Berberis Aquifolium..... ℥ j.
Syrup (or ext. malt)..... ℥ ij.
M. Sig. One teaspoonful three times daily.

—*Dr. J. H. Bundy.*

Chronic Gastric Ulcer.

℞ Creosoti..... ♏iv.
Aquæ..... ℥ vj.
M. Sig. In tablespoonful doses.

—*Niemeyer.*

Tormina of Infants.

℞ Sem. Anisi.....
Sem. Fœniculi.....āā gr. ij.
Pulv. Croci..... gr. j.
Magnesiæ..... gr. viij.
Sacchari albi..... gr vij
M. Ft. pulv. Capiat dimidium statim, et alteram post horam.

—*Dr. Copland.*

Colic.

℞ Ol. Crotonis..... ♏iij.
Ol. Ricini..... ℥ ij.
M. Sig. One tablespoonful every two hours with opium gr. ½ to 1, three times daily.

—*Niemeyer.*

Constipation.

℞ Ext. Cascara Sagrada..... ʒ vj.
Glycerinæ..... ℥ j.
Curacoa..... ℥ ij.
Syr. Glycyrrhiz. ad..... ℥ vj.
M. Sig. Dose, a teaspoonful to a tablespoonful.

—*Dr. Boardman Reed.*

Acute Dysentery.

℞ Argenti Nitratis..... gr. v.
Aquæ destil..... ℥ xij.
Ft. enema.

—*Trousseau.*

Diarrhœa of Children.

℞ Cretæ præp..... ʒ iss.
Acaciæ pulv..... ʒ j.
Sacchari Albi..... ʒ j.
Tinct. Opii..... ♏x.
Aquæ..... ℥ iij.
Ft. mist. Sig. A teaspoonful to be taken frequently.

—*Dr. Dewees*

Aphthæ.

℞ Mellis Boracis..... ℥ j.
Tinct. Myrrhæ..... ℥ j.
Mellis despum..... ʒ vij.
M.

—*Mr. Brande.*

Constipation with Gastric Debility.

℞ Cascara Cordial..... ℥ iijss.
Fl. Ext. Rhubarb.....
Dilute Nitro Muriatic Acid.....ää ʒ ij.
M. Dose. Two teaspoonfuls in infusion of Quassiæ.

Threatened Cholera.

℞ Pulv. Cretæ Aromat. cum Opio..... gr. x.
Aquæ Menthæ Pip..... ʒ j.
Ft. haustus cum horis.

--*London College of Physicians.*

Dysentery.

℞ Cupri Sulphat.....
Pulv. Opii.....ää gr. ¼.
Conf. Rosæ, q. s.
M. Ft. pilula.

—*Fever Hospital.*

Compound Rhubarb Mixture.

One drachm of this mixture contains:

Ext. Rhei, fl..... ♏j.
Ext. Ipecac, fl..... ♏ ⅛.
Sodii Bicarb..... gr. ij.
Glycerini..... ʒ ⅜.
Aq. Menth. Pip..... ʒ ⅜.
M. Dose, ½ to 1 teaspoonful 2 or 3 times a day for children.

—*Dr. Squibb.*

Constipation with Hepatic Torpor.

℞ Cascara Cordial..... ℥ iij.
Fl. Ext. Wahoo..... ℥ j.
M. Dose. Two teaspoonfuls.

Heartburn.

℞ Liq. Magnes. Carb..... ℥ ss.
Sp. Lavand Co..... ʒ ij.
M. ft. haust. Take immediately and repeat if necessary.

—*Dr. Neligan.*

Dysentery.

℞ Catechu pulv..... ʒ ij.
Pulv. Acaciæ..... ℥ ss.
Aquæ..... ℥ vj.
M. Sig. A tablespoonful every two hours.

—*Niemeyer.*

Diarrhœa.

℞ Mist. Cretæ..... ℥ ij,
Pulv. Cretæ Aromat..... ℈ ss.
Tinct. Opii..... ♏ ij.
Ft. haustus.

—*Dr. Paris.*

Diarrhœa of Children.

℞ Aluminæ..... ʒ ss.
Acaciæ pulv..... ʒ j.
Sacchari Albi..... ʒ ij.
Aquæ Fœniculi..... ℥ iij.
M. A teaspoonful to be given frequently.

—*Riecke.*

Chronic Diarrhœa.

℞ Pulv. Calumb..... ʒ j.
Pulv. Zingib..... ʒ ij.
Aquæ bullientis..... Oj.
Infunde per horas duas, et cola. (A wineglassful, cold, every two hours.)

—*Dr. Ellis.*

Dr. Taylor's Liver Pill.

℞ Podophyllin..... gr. j.
Powdered Ipecac..... gr. j.
Camphor..... gr. ¼.
M. Ft. pilula.

Chronic Diarrhœa.

℞ Pulv. Aluminis.....
Pulv. Kino.....ää ʒ ijss.
Syr. Simplicis, q. s., ut ft. mass. in pil.
100 div. Two to ten pills daily.

—*Trousseau.*

Chronic Enlargement of the Spleen.

℞ Fl. Ext. Grindelia Squarrosa..... ℥ iij.
Fl. Ext. Cascara Sagrada..... ℥ j.
M. Sig. Teaspoonful four times a day

—*Dr. C. Edwin Elliott.*

Diarrhœa.

℞ Calomel..... gr. $\frac{1}{8}$.
Morphine Sulph..... gr. $\frac{1}{16}$.
Capsicum..... gr. $\frac{1}{16}$.
Powd. Ipecac..... gr. $\frac{1}{32}$.
Camphor..... gr. $\frac{1}{16}$.
M. Ft. pilula.

Obstinate Constipation.

℞ Carbonis ligni.....
Sodæ Bicarb.....ää ʒ j.
Conf. Sennæ..... ℥ ij.
Ft. electuarium.
Sig. A teaspoonful three or four times a day.

Dyspepsia with Palpitation.

℞ Tinct. Cardamomi Co..... ʒ ij.
Sp. Ammon. Aromat..... ʒ ij.
Sodæ Bicarb..... ʒ j.
Inf. Gentianæ..... ℥ vj.
M. Sig. Two tablespoonfuls an hour after a meal.

—*Dr. MacRobin.*

Chapman's Dinner Pill.

℞ Purified Aloes..... gr. j.
Gum Mastich..... gr. j.
Powd. Rhubarb..... gr. j.
M. Ft. pilula.

Constipation.

℞ Sulphur Sublim..... ʒ ij.
Potass. Acid. Tart..... ℥ ss.
Syr. Limonis.....
Sacchar. Alb.....ää ℥ iij.
Ft. electuarium. Sig. A teaspoonful two or three times a day.
—*Niemeyer.*

III.

DISEASES OF RESPIRATORY SYSTEM.

Acute Bronchitis.

℞ Vini Ipecacuanhæ..... ʒ ij.
Liq. Potassii Citratis..... ℥ iv.
Tr. Opii Camphoratæ.....
Syr. Acaciæ.....ää ℥ j.
M. Sig. A tablespoonful thrice daily in first stage of ordinary acute bronchitis.

—*Dr. DaCosta.*

Chronic Bronchitis.

℞ Ammon. Chloridi..... ʒ ij.
Mist. Glycyrrhizæ Co..... ℥ iij.
M. Sig. A dessertspoonful three times a day.

—*Dr. DaCosta.*

Acute Bronchitis in Children.

℞ Tr. Veratri Viridis..... ♏xij.
Syr. Scillæ Co..... ʒ ij.
Syr. Bal. Tolutan..... ʒ xiv.
M. Sig. One teaspoonful every two or three hours to a child five years old in the first stages of the disease.

—*Dr. J. Lewis Smith.*

When the temperature falls and the moisture appears on the skin under the influence of the above, we may cease its administration and resort to expectorant mixtures such as the following:

℞ Ext. Cubeb., fl..... ♏xl ad ʒ j.
Syr. Simplicis..... ℥ ijss.
Sig. A tablespoonful three or four times a day.

Infusorial Catarrh, Hay Fever.

℞ Menthol ..... ʒ j.
Simple Cerate ..... ℥ ij.
Ol. Sweet Almonds ..... ℥ iss.
Pure Oxide of Zinc ..... ʒ j.
Carbolic Acid ..... ʒ ss.
M. Sig. Apply to nostrils.

—*Drs. Salisbury and Cutter.*

Pneumonia.

℞ Fl. Ext. Yerba Santa ..... ℥ ijss.
Syr. simp ..... ℥ jss.
Tinct. Aconite ..... ʒ ss.
M. Sig. One teaspoonful every two or three hours.

—*Dr. J. H. Bundy.*

Sub-Acute Pleurisy.

℞ Pulv. Digital .....
Pulv. Sallæ Mer .....
Hydrarg. Chlor. Mit .....ää gr. x.
M. Et ft. pil. x et sig. One pill thrice daily.

—*Dr. Alonzo Clark.*

Diphtheritic Croup.

℞ Potass. Chloratis ..... ʒ ij.
Syr. Limonis ..... ℥ j.
Aquæ ..... ℥ iij.

Dose according to age of child. If under two years a teaspoonful. From two to ten two teaspoonfuls. Over ten a tablespoonful every three hours or every half hour in urgent cases.

—*Dr. T. M. Drysdale.*

Phthisis.

℞ Petrolei Mass ..... ʒ j.
Pulv. Cubebæ .....
Pulv. Doveri .....ää ℥ ss.
Sulph. Cinchonidiæ ..... ʒ ij.
M. Make pill mass. Divide in four grain pills. Sig. One pill every three or four hours.

—*Dr. W. H. Hughes.*

Acute Bronchial Catarrh.

℞ Ext. Glycyrrhizæ..... ℥ ij.
Liq. Ammon. Anisati..... ℥ ij.
Aquæ Fœniculi..... ℥ vj.
M. Sig. To be taken in teaspoonfuls.

—*Niemeyer.*

Tonsillitis.

℞ Resinæ Guaiaci..... gr. iij.
Pastæ Ribis rubri (red currant paste)..... gr. vij.
M. ft. trochiscus. (One to be sucked every hour or two.)

—*Dr. M. Mackenzie.*

Asthma.

℞ Tr. Euphorbia Pilulifera..... ʒ ij.
Sig. This amount every four hours.

—*Dr. M. Matheson.*

Laryngeal Phthisis.

℞ Copaiba..... ʒ ij.
Bal. Tolu..... ʒ jss.
Mellis Optimi..... ℥ ij.
Tinct. Opii..... ʒ j.
Syr. Tolu..... ℥ j.
M. Sig. A teaspoonful every noon and evening.

—*Sir A. Crichton.*

Consumption.

℞ Decocti Cetrariæ..... ℥ vss.
Acidi Nitrici dil..... ʒ j.
Syr. Tolu ..... ℥ ss.
Tinct. Camphor. Co..... ʒ j.
Ft. mist. Sumat quartam partem ter die.

—*Dr. Farre.*

Pleurisy.

℞ Syr. Ferri Iodidi..... ʒ ij.
Syr. Simplicis..... ℥ ij.
M. Sig. A teaspoonful every two hours.

—*Niemeyer.*

Asthma.

℞ Fl. Ext. Grindelia Robusta..... ℥ j.
Syrupi Simplicis..... ℥ iij.
M. Sig. One teaspoonful at the commencement of a paroxysm will give complete relief in from three to five minutes. Continue the remedy, same dose, three or four times daily for a few weeks.

—*R. Wilson Walters, M. D.*

Bronchitis and Certain Stages of Pneumonia.

℞ Ext. Yerbæ Santæ, fl..... ℥ j.
Liq. Potassæ..... ʒ j.
Ext. Grindeliæ Robustæ, fl.....
Tr. Opii Camph.....
Syr. Scillæ vel.....
Syr. Ipecacuanhæ.....ää ℥ j.
M. Sig. Teaspoonful every three hours.

—*Dr. C. Henri Leonard.*

Hay Asthma.

℞ Fl. Ext. Grindeliæ Robustæ et.....
Yerbæ Santæ.....ää ʒ j.
Aquæ..... ʒ xj.
M. Sig. A teaspoonful every twenty minutes until relieved, then at intervals of three hours till cured.

—*Dr. C. H. Yelvington.*

Acute Congestion of the Pharynx and Larynx.

℞ Tinct. Benzoini Co..... ʒ j to ʒ ij.
To be added to a pint of water at 150° F. and inhaled for five minutes every four or six hours from a suitable inhaler.

—*Dr. Morrell Mackenzie.*

Cough Mixture at Guy's Hospital, London.

℞ Cetacei..... ʒ vj.
Vitellum Ovi unius.
Probe contundantur, tum adde
Syr. Tolutani..... ℥ jss.
Aquæ Pulegii..... Oj.
Ft. mistura, cujus detur ℥ j ter, quater, ve sæpius quotidie singulis dosibus pro re nata additus Potassæ Nitratis ℈ss vel Tinct. Camphoræ Comp. ♏xxx.

Pleuritis.

℞ Iodi..... ʒ ss.
Potass. Iodidi..... ʒ ss.
Aquæ destil..... ℥ ij.
Ft. lotio. Sig. To be applied to the affected side.

—*Niemeyer.*

Laryngismus Stridulus.

℞ Asafœtidæ..... ʒ ss.
Vitell. Ovi j. Tere simul, et adde Infus Valerian ℥ ss to ℥ iv.
For two enemas.

—*Niemeyer.*

Asthma.

℞ Elixir Grindelia Robusta..... ℥ xij.
Glycerole of Yerba Santa..... ℥ iv.
M. Sig. From two teaspoonfuls to one tablespoonful four times a day.

—*Dr. Frank Allport.*

Bronchitis with Hectic Fever.

℞ Fl. Ext. Lippia Mexicana .... ℥ ij.
Port Wine..... ℥ vj.
M. Sig. A teaspoonful every four hours through the day and at night when awake or coughing. Also
℞ Quinine Sulphate..... gr. ij.
Sig. This amount three times a day.

—*Dr. J. M. Blackerby.*

Pneumonia.

℞ Ammoniæ Muriatis..... ʒ iij.
Antim. et Pot. Tartrat. ..... gr. ij.
Morphiæ Sulphat..... gr. iij.
Syrupi Glycyrrhizæ..... ℥ iv.
M. Sig. A teaspoonful every two hours.

—*Dr. N. S. Davis.*

Putrid Sore Throat, Scarlatina, Etc.

℞ Tinct. Myrrhæ.....
Aceti.....ää ℥ ij.
Mellis..... ℥ j.
Inf. Serpentariæ..... Oijss.
M. ft. gargarisma.

—*Dr. Fothergill.*

Catarrhal Bronchitis.

℞ Fl. Ext. Yerbæ Santæ..... ℥ ss.
Tr. Lobelia Co..... ℥ j.
Tr. Ol. Anise..... ʒ ij.
Syr. Prun. Virg., q. s., ad..... ℥ iv.
M. Sig. A teaspoonful every two or three hours.

—*Dr. Firth.*

Relaxed Putrid Sore Throat.

℞ Acidi Hydrochlor..... ♏xv.
Infus. Cinchonæ..... ℥ iv.
Mellis Rosæ..... ..... ℥ j.
M. ft. gargarisma.

—*Trousseau.*

An Irritant in Chest Affections.

℞ Ol. Tiglii..... ♏x.
Lin. Saponis..... ℥ j.
Tinct. Opii..... ℥ iij.
M. et ft. linimentum.

—*Dr. Hooper.*

Expectorant in Phthisis.

℞ Mist. Ammoniaci..... ..... ℥ j.
Tr. Camph. Co.....
Oxymel. Scillæ.....ää ʒ ss.
M. Ft. haustus.

—*Consumption Hospital.*

Croup and Diphtheria.

℞ Pulv. Aluminis..... ʒ ijss.
Mellis Albi..... ʒ x.
M. Sig. Half a teaspoonful every hour and powdered alum blown into the throat every four hours.

—*Trousseau.*

Incipient Phthisis.

℞ Fl. Ext. Lippia Mexicana..... ℥ ij.
Whiskey..... ℥ vj.
Glycerine, pure..... ℥ ij.
M. Sig. A teaspoonful every four hours during the day and at midnight if patient awake.

—*J. M. Blackerby.*

Asthma of Emphysema.

℞ Fl. Ext. Convallariæ..... ♏ jv.
Syr. Tolutani..... ♏ viij.
Aquæ q. s. ad..... ʒ j.
M. Sig. To be taken by the mouth every three hours.

—*Dr. Beverley Robinson.*

Chronic Nasal Catarrh.

℞ Fl. Ext. Yerba Reuma..... ℥ ss.
Glycerine..... ℥ ss.
Aqua destil..... ℥ iij.
M. Sig. With a syringe inject one teaspoonful antero-posteriorly three times daily.

—*Dr. Bundy.*

Hooping Cough.

℞ Antim. Tart..... gr. j.
Tinct. Opii..... ♏xx.
Aquæ destilat..... ℥ j.
M. Sig. Teaspoonful every night.

—*Sir T. Watson.*

Hoarseness from Weakness of Larynx.

℞ Acidi Benzoici..... gr. ss.
Pastæ Ribis rubri (red currant paste)..... gr. x.
M. ft. trochiscus. Sig. One every hour or two.

—*Dr. M. Mackenzie.*

Dyspnœa.

℞ Tr. Quebracho (1 to 10)..... ʒ j.
Water..... ℥ ijss.
Syrup..... ℥ ss.
M. Sig. A tablespoonful every four hours.

—*Dr. Simon.*

Hay Fever.

℞ Liq. Arsenicalis..... ʒ j.
Vini Antimon.....
Vini Ipecacuanhæ.....
Liq. Potassæ.....ää ʒ ijss.
Aquæ destilat., ad..... ℥ xij.
Fiat mist. Take one ounce three times a day.

—*Dr. F. W. McKenzie.*

Croup.

℞ Potass. Bromid..... ʒ ij.
Liq. Iodi..... ℥ ij.
Aquæ ad..... ℥ iv.
M. Use with a spray injector.

—*Dr. Coates.*

Emphysema.

℞ Potass. Chlorat..... ʒ jss.
Tr. Belladonnæ..... ℥ jss.
Ext. Pruni Nig., fl.....
Tr. Cinchonæ Co.....āā ℥ ij.
M. Sig. A dessertspoonful four times a day.

—*Dr. DaCosta.*

Chronic Cough with Profuse Expectoration.

℞ Fl. Ext. Yerba Santa..... ..... ʒ iv.
Fl. Ext. Pin. Canadensis..... ʒ iv.
Glycerine or Simp. Syrup..... ℥ iij.
M. Sig. Teaspoonful every three or four hours.

--*Dr. A. W. Bixby.*

Dropsy of Emphysema.

℞ Aceti Scillæ..... ℥ j.
Potass. Carb. ad saturationem.....
Aquæ destil..... ℥ vj.
M. Sig. A tablespoonful every two hours.

—*Niemeyer.*

Malignant Sore Throat.

℞ Capsici pulv..... ʒ ij.
Aquæ ferventis..... Oss.
Macera per. horas duas, et cola. Cap. cochl. amplum bis ter ve die.

—*Dr. Pereira.*

Cold in the Head.

℞ Potass. Chlorat..... gr. x.
Sp. Aeth. Nit..... ʒ j.
Aquæ..... ℥ jss.
M. ft. haustus. Sig. Take at bed hour.

—*Dr. Stephens.*

Asthma.

℞ Potass. Nitrat. . . . . ℥ iv.
Aquæ . . . . . Oss.

Solve. Blotting paper dipped in this solution and dried to be burned in the chamber during the existence or imminence of spasm.

—*Dr. Salter.*

Laryngitis.

℞ Fl. Ext. Yerba Santa. . . . . ℥ ij.
Syr. Acacia. . . . . ℥ j.

M. Sig. One teaspoonful five or six times daily.

—*Dr. J H. Bundy.*

Intercostal Neuralgia.

℞ Menthol. . . . . ℥ j.
Alcohol. . . . . ℥ j.
Oil of Cinnamon. . . . . ♏xxx.

M. Sig. Apply freely over the region of the seat of pain with a hair pencil.

—*Dr. O. H. Law.*

Pleurisy with Effusion.

℞ Pulv. Opii. . . . . gr. ¼.
Hyd. Subchlor. . . . . gr. ij.

M. ft. pulv. ter in die sumendus.

—*Dr. Budd.*

Cough of Consumption.

℞ Acidi Hydrocyanici dil. . . . . ♏xij.
Aquæ destil. . . . . ℥ vj.
Syr. Papaveris. . . . . ʒ iij.

M. Copiat cochl. amplum secunda quaque hora.

—*Dr. Granville.*

Partial Aphonia with Asthma.

℞ Fl. Exts. Grindeliæ Robustæ.....
Et Yerbæ Santæ.....ää ʒ j.
Aquæ puræ..... ʒ xj.
M. Sig. A teaspoonful every twenty minutes until relieved.
—*Dr. C. H. Yelvington.*

Relaxation of Pharynx.

℞ Ext. Krameriæ..... gr. iij.
Pastæ Ribis Rubri (Red Currant Paste)..... gr. vij.
M. ft. trochiscus. (One every two or three hours.)
—*Dr. M. Mackenzie.*

Stimulant in Croup.

℞ Moschi..... gr. iv.
Sacchari Alb..... ʒ j.
M. et div. in pulv. vj. A powder every hour or half hour.
—*Niemeyer.*

Children Threatened with Croup.

℞ Vini Ipecac..... ʒ iij.
Syr. Tolu..... ʒ v.
Mucil. Acaciæ..... ℥ j.
M. ft. mist. Sig. A small teaspoonful every hour or two.
—*Dr. Cheyne.*

As a Stimulant in Croup.

℞ Aetheris Acet..... ʒ iij.
Camphoræ ..... gr. x.
M. Sig. Ten to fifteen drops every quarter of an hour.
—*Niemeyer*

Croup.

℞ Decocti Senegæ..... ℥ iijss.
Oxymel. Scillæ..... ʒ ij.
Vini Ipecac..... ʒ ij.
Antim. Tartar..... gr. j.

M. Dose, ♏x to xx every quarter of an hour to an infant to produce vomiting, or every two hours as an expectorant.

—*French Hospital.*

An Emetic in Nocturnal Dyspnœa of Laryngitis.

℞ Pulv. Ipecac..... ℈j.
Antimon. Tartarati..... gr. j.
Oxymel. Scillæ..... ʒ iij.
Aquæ..... ℥ iss.

M. A teaspoonful every ten minutes.

—*Niemeyer.*

Follicular Disease of Larynx.

℞ Argenti Nitratis..... ℈j ad ℈iv.
Aquæ destil..... ℥ j.

Solve. To be applied to the larynx by means of a sponge and whalebone.

—*Dr. Green.*

Laryngismus Stridulus.

℞ Acidi Hydrocyanici dil..... ♏v.
Sp. Ammoniæ fœtidi..... ʒ ss.
Tr. Hyoscyami..... ♏x.
Sp. Anisi..... ʒ j.
Syr. Aurantii..... ʒ ss.
Aquæ..... ℥ j.

M. Sumet cochl. min. unum ter die.

—*Dr. Reid.*

A Stimulating Expectorant.

℞ Ammon. Carbonat..... gr. v.
Tr. Nuc. Vomicæ..... ♏x.
Tr. Scillæ..... ʒ ss.
Inf. Serpentariæ..... ℥ j.

M. Sig. Three times a day.

—*Fothergill.*

Diarrhœa of Phthisis.

℞ Acidi Tannici..... gr. xij.
Conf. Rosæ..... ʒ ss.
M. et div. in pil. xij e quibus sumatur una sextis horis.

—*Dr. Neligan.*

Chronic Bronchitis.

℞ Tr. Yerba Santa..... ℥ j.
Glycerine..... ʒ iij.
M. Sig. A teaspoonful four times a day.

—*Dr. Gabel.*

Cough Mixture.

℞ Syr. Tolutan..... }
Syr. Pruni Virg..... }
Tr. Hyoscyami..... } āā ℥ j.
Spts. Aetheris Co..... }
Aquæ..... }
M. Sig. Dose, a teaspoonful.

—*Dr. E. G. Janeway.*

Relaxed Throat.

℞ Acidi Sulph..... ♏xv.
Syr. Simpl..... ℥ ss.
Aquæ..... ℥ iv.
M. ut ft. gargarisma.

—*Trousseau.*

Severe Chronic Cough.

℞ Fl. Ext. Berberis Aquifol..... ℥ ij.
Fl. Ext. Eriodyction..... ℥ j.
Ext. of Malt, q. s., ad..... ℥ iv.
M. Sig. Tablespoonful three or four times daily.

—*Dr. J. H. Bundy.*

Influenza.

℞ Acidi Phos. dil..... ..... ♏xv.
Spts. Chloroformi..... ♏xxv.
Syr. Scillæ,..... ʒ j.
Aquæ ad.... ..... ℥ j.
M. Sig. Four to six times every twenty-four hours.
—*Fothergill.*

Convulsive Dyspnœa.

℞ Potassii Cyanidi..... gr. j.
Pulv. Amyli.
Syr. Acaciæ ana q. s.
Misce bene, et div. in pil. iv. Sumat unam sexta quaque hora.
—*Dr. Bailly.*

Chronic Pleuritis.

℞ Pulv. Digitalis..... .....
Quin. Sulph.....ää gr. j.
Confec. Rosæ, q. s.
Ft. pil. et sig. One pill three times a day.
—*Niemeyer.*

Simple Spasmodic Asthma, Hay Asthma and Inflammatory Asthma.

℞ Potassii Bromidi..... ℥ ss.
Fl. Ext. Grindeliæ Robustæ... .....
Syr. Ipecacuanha.....ää ℥ j.
Aquæ ..... ℥ ij.
M. Sig. Teaspoonful every four hours.
—*Dr. T. M. Rochester.*

Inflammatory Affections of the Lungs.

℞ Digitalini..... gr. ¼.
Kermetis Mineralis..... gr. xv.
Ext. Digitalis..... gr. xv.
Excipientis, q. s.
M. Div. in pil. 50 (1 to 5 daily for children; 4 to 10 for adults).
—*Trousseau.*

Asthmatic Fits of Emphysema.

℞ Tinct. Opii..... ʒ j.
Aetheris..... ..... ʒ ij.
Sig. Sixty drops every twenty minutes. To each dose may be added Tr. Lobeliæ Aetheræ gtt. xx.

—*Meredith Clymer, M. D.*

Night Sweat.

℞ Zinc Oxide..... gr. ½.
Salicin..... gr. j.
Ext. Belladonna..... gr. $\frac{1}{25}$.
Hydrastin..... ..... gr. j.
Lactated Pepsin..... gr. ½.
M. Ft. pilula.

Acute Bronchial Catarrh.

℞ Liq. Ammon. Anisat..... ʒ ss.
Inf. Senegæ..... ..... ʒ ij ad iv.
Aquæ..... ℥ vj.
M. Sig. Two tablespoonfuls three times a day.

—*Niemeyer.*

An Expectorant in Croup.

℞ Decoct. Senegæ..... ..... ℥ iv.
Vini Antimon..... ℈ ij.
Syr. Aetheræ..... ℥ j.
M. Sumat cochl. j parvulum subinde.

—*Wendt.*

Chronic Bronchitis.

℞ Fl. Ext. Yerbæ Santæ..... ℥ j.
Fl. Ext. Piscidiæ Eryth..... ʒ vj.
Tr. Ol. Anisi..... ʒ ij.
Glycerinæ..... ..... ʒ j.
M. Sig. A teaspoonful three or four times a day.

—*Dr. L. B. Firth.*

Infusorial Catarrh.

℞ Menthol..... ʒ j.
Fl. Ext. Licorice.....
Water.....
Brandy .....ää ℥ iij.
Carbolic Acid..... gr. xx.
Ol. Sassafras..... gtt. xx.
M. Dose, four drops once in two hours.

—*Drs. Salisbury and Cutter*

Asthma.

℞ Fl. Ext. Grindeliæ Robustæ..... ℥ ij.
Potassii Iodidi..... ʒ ij.
Syr. Tolu, q. s. ad..... ℥ iv.
M. Sig. A teaspoonful every three hours.

—*Dr. L. B. Firth.*

Dyspnœa.

℞ Ext. Cortoisis Quebracho..... 12.0
Mucil. g. g. arabic..... 40.0
Aq. destil.....200.0
Dose. One to two teaspoonfuls daily.

—*Dr. L. Laquer.*

Quebracho has been extensively tested in private and hospital practice, and it is the opinion of all who have prescribed it and observed its effects that it exerts a most powerful and favorable influence on the respirations in all cases of dyspnœa from whatever cause they may arise.

Coryza.

℞ Pulv. Aluminis..... gr. v ad xxx.
Aquæ..... ℥ j.
M. Sig. To be drawn into nostrils in the form of spray three or four times a day.

—*Dr. J. Solis Cohen.*

Harassing Cough.

℞ Mist. Glycyrrhiz. Co..... ℥ ij.
Sp. Chloroformi..... ʒ ss.
Sp. Ammonii Aromat..... ℥ j.
M. Sig. A teaspoonful every two hours.

—*Dr. Beverley Robinson.*

IV.

DISEASES OF CIRCULATORY SYSTEM.

Hypertrophy of the Heart.

℞ Pil. Podophyll. Co.
(gr. ¼ Podophyll. in each pill.)
Sig. One pill to be taken every night.
And,
℞ Tr. Belladonnæ.....
Tr. Nucis Vomicæ.....ää gtt. ij.
Mist. Potass. Citratis ..... ℥ ss.
M. Sig. Take every six hours.

— Dr. Beverley Robinson.

Simple Cardiac Debility.

℞ Tinct. Digitalis..... ♏x.
Sp. Chloroform..... ♏xxv.
Inf. Buchu..... ℥ j.
M. Sig. To be taken three times a day.

—Dr. J. M. Fothergill.

Cardiac Neuroses.

℞ Tr. Convallariæ Majalis..... gtt. x.
Sig. This amount four times a day.

—Prof. Botkin.

For Inhalation in Angina Pectoris.

℞ Amyl Nitris..... ♏v to vj.

—Dr. Murchison.

Hæmoptysis.

℞ Aluminis ..... ʒ iijss.
Syr. Rhataniæ ..... ℥ ij.
Aquæ ..... ℥ vj.

Solv. alumen in aqua et adde syrupum. In dos. iv. div. Sig. One dose to be taken at half-hour intervals.

—*Trousseau.*

Pericarditis.

℞ Fl. Ext. Corn Silk ..... ʒ j.
Sig. This amount three times a day.

—*Dr. J. F. Goldman.*

Hypertrophy of the Heart.

℞ Acidi Hydrocyanici dil ..... gtt. v.
Aquæ Calidæ, q. s.

Inhale the vapor by means of some suitable apparatus lying down an hour after each inhalation. Very gradually increase the dose to ten drops. After four or six weeks give steel and quinine.

—*Dr. T. G. Hare.*

Cardiac Hypertrophy in Young Subjects.

℞ Aquæ Lactucæ dest ..... ℥ viij.
Aquæ Menthæ p. destil ..... ʒ ij.
Potass. Iodidi ..... ʒ iv.
Syr. Althaeæ ..... ℥ j.

M. Ft. mistura. Five drachms of this, increased, if necessary, to ten drachms, to be given morning and evening.

—*Majendie.*

Hypertrophy of the Heart with General Oedema.

℞ Ext. Quebracho Aquosum ..... grammes v.
Aqua ..... grammes xx.
Sig. A tablespoonful every three hours.

—*Dr. J. Krauth.*

Angina Pectoris.

℞ Liq. Arsenicalis..... ♏v.
Aquæ..... ℥j.
Misce et sig. Three times a day.

—*Dr. F. E. Ainstie.*

Advanced Heart Disease.

℞ Cambogiæ..... gr. j.
Pulv. Jalapæ Co..... ʒij.
Ft. pulv.

—*Dr. J. M. Fothergill.*

Chronic Heart Disease.

℞ Pulv. Digitalis..... gr. ½ to 1.
Ferri Sulphat..... gr. j.
Pulv. Capsici..... gr. ¼.
Ext. Gentianæ..... gr. ij.
M. ft. pil. et sig. One three times a day.

—*Dr. Fothergill.*

Aortic and Mitral Insufficiency.

℞ Fl. Ext. Convallariæ Majalis..... gtt. v.
Sig. This amount every four hours.

—*Prof. See.*

Cardiac Debility.

℞ Tinct. Colchici sem..... ♏x.
Tinct. Digitalis..... ♏x.
Sp. Etheris Nit..... ♏xxv.
Inf. Buchu..... ℥j,
M. Sig. Three times a day.

—*Dr. J. M. Fothergill.*

Cardiac Debility.

℞ Tr. Belladonnæ..... ♏xx.
Tr. Nucis Vom..... ♏x.
Aquæ Camph..... ℥j.
M. Sig. This amount three times a day.

—*Dr. J. M. Fothergill.*

Neuralgia of the Heart.

℞ Fl. Ext. Jamaica Dogwood..... ʒ ss.
Sig. This amount at time of paroxysm.

—*Dr. W. H. Rouse.*

Chronic Anasarca.

℞ Inf. Digitalis..... ʒ iv.
Liq. Hydrarg. Perchlorid..... ʒ j.
Aquæ Menthæ Vir..... ℥ j.
Tinct. Cantharid..... ♏xx.
M. Ft. haustus bis vel ter in dies sumendus.

—*Dr. Seymour.*

Hypertrophy of the Heart with Fatty Degeneration.

℞ Tr. Cereus Bonplandii..... ℥ iij.
Sig. Twenty drops in water every two hours till relieved.

—*Dr. R. E. Kunze.*

Hypertrophy of the Heart.

℞ Bromidi Ferri..... ℈ ss.
Acaciæ pulv..... ℈ j.
Mannæ..... gr. x.
M. et ft. pil. xx et sig. Two pills morning and evening.

—*Majendie.*

Hæmorrhage.

℞ Acidi Gallici..... ..... ʒ j.
Glycerini..... ℥ ss.
Aquæ destil ..... ℥ vj.
M. Sig. Two tablespoonfuls three times a day.

—*Farquharson.*

Hæmorrhage.

℞ Ergotinæ ..... gr. xvj.
Aquæ ..... ℥ iij.
Syr. flor. Aurantii ..... ℥ j.

A tablespoonful every three hours, or to excite expulsive pains every quarter of an hour.

—*Bonjean.*

Cardiac Debility.

℞ Liq. Strychniæ ..... ♏v.
Tinct. Digitalis ..... ♏x.
Tinct. Ferri Perchlor ..... ♏x.
Aquæ vel Inf. Quassiæ ..... ℥ j.
M. Sig. This to be taken three times a day.

—*Dr. Fothergill.*

To Control External Hæmorrhage.

℞ Collodii ..... parts 100.
Acidi Carbolici ..... parts 10.
Acidi Tannici .....
Acidi Benzoici .....ää parts 5.
M. Sig. Apply locally.

—*Dr. Paveri.*

Hæmorrhage.

℞ Ergotin ..... gr. iij.
Sp. Rectificat .....
Glycerini .....ää ♏ij.
Ft. Injectio. For subcutaneous injection.

—*Langenbeck.*

Constipation with Palpitation of the Heart.

℞ Fl. Ext. Cascaræ Sagradæ .....
Fl. Ext. Berberis Aquifol .....
Elix. simplex .....ää ℥ j.
Tinct. Nucis Vomicæ ..... gtt. xxiv.
Tinct. Digitalis ..... ʒ j.
M. Sig. Teaspoonful three times a day.

—*Dr. J. W. Van Winkle.*

Palpitation of the Heart.

℞ Tinct. Cereus Grandiflorus..... ℥ j.
Sig. Take ten drops every four hours in a little water.

—*Dr. R. E. Kunze.*

Palpitation with Nervous Irritability.

℞ Tinct. Digitalis..... ♏x add xx.
Aquæ Camphoræ..... ʒ x.
Tinct. Calumbæ..... ʒ j.
Ft. haustus, bis quotidie sumendus.

—*Dr. Paris.*

V.

GENITO-URINARY DISEASES.

Chronic Interstitial Nephritis.

℞ Tinct. Ferri Chloridi..... ♏x.
Syrupi Limonis..... ♏l.
Aquæ ..... ʒ iij.
M. Sig. To be taken thrice daily in a wineglassful of water.

—*Dr. DaCosta.*

Nocturnal Incontinence of Children.

℞ Strychniæ..... gr. j.
Pulv. Cantharides..... gr. ij.
Morphiæ Sulph..... gr. jss.
Ferri Pulv..... ℈j.
M. Ft. pil. xl et sig. One three times a day to a child ten years old.

—*Prof. S. D. Gross, M. D.*

Impotency from Excessive Sexual Indulgence.

℞ Fl. Ext. Damiana..... ʒ j.
Fl. Ext. Canthar..... ♏j.
Sig. Every night before retiring.

—*Dr. Wm. Fahy.*

Impotence with Spermatorrhœa.

℞ Tinct. Canthar..... gtt. vj.
Tinct. Ferri Chlor..... gtt. xv ad xx
Sig. Thrice daily in water.

—*Dr. H. C. Wood.*

Hydrocele of Children.

℞ Ammon. Chloridi..... ʒ ij.
Liq. Ammon. Acet..... ℥ v.
Sp. Vini Rectif..... ℥ j.
Ft. lotio.

—*Sir A. Cooper.*

Acute Nephritis.

℞ Inf. Digitalis..... ℥ iss.
Sp. Ether Nit..... ʒ vj.
Syr. Simplicis..... ℥ ss.
Aquam ad..... ℥ vj.
M. Sig. A tablespoonful three times a day.

—*Dr. Stewart.*

A Diuretic and Antilithic.

℞ Lithiæ Citratis..... gr. x.
Acidi Citrici..... gr. xx.
Syr. Aurantii..... ʒ ss.
Aquæ..... ℥ ij.
To be taken in a state of effervescence with gr. xiv of Bicarb. Soda dissolved in ℥ ij of water.

—*Dr. Guy.*

Gonorrhœa.

℞ Fl. Ext. Kava Kava.....
Fl. Ext. Yerba Santa.....ää gm. 60.
M. Sig. One teaspoonful three times a day in milk after meals.

—*Dr. Fliesburg.*

Gleet.

℞ Zinci Chloridi..... gr. x.
Acidi Gallici..... ☉ j.
Aquæ..... ℥ viij.
Ft. injectio.

—*Erichsen.*

Acute Nephritis.

℞ Pulv. Scillæ.....
Pulv. Digitalis.....ää gr. ½.
Ext. Gentianæ, q. s. ut ft. pil.
One pill three times a day.

—*Dr. Grainger Stewart.*

Uræmia.

℞ Res. Scammoni..... gr. v.
Potass. Tart. Acidæ..... ℈j.
Pulv. Zingiberis..... gr. iij.
M. The powder to be repeated once or oftener if required.

—*Dr. George Johnson.*

Sexual Debility.

℞ Phosphorus..... gr. $\frac{1}{100}$.
Ext. Damiana..... gr. ij.
Ext. Nux Vomica..... gr. ⅛.
M. Ft. pilula.

Spermatorrhœa.

℞ Quiniæ Sulph..... gr. vj.
Acid. Sulph. dil..... ʒ j.
Tr. Card. Co..... ʒ iij.
Aquæ Cinnam..... ℥ vss.
M. Sumat. cochl. duo ampla bis die.

—*Milton.*

Enlargement of the Prostate.

℞ Potass. Iodidi..... gr. ij ad iv.
Ext. Hyoscyami..... gr. v ad viij.
Ol. Theobromæ, q. s.
M. ft. suppositorium.

—*Stafford.*

Enuresis.

℞ Tr. Rhus Aromat..... ℥ ss.
Glycerine..... ℥ iss.
M. Sig. Half teaspoonful three times a day and be careful to void the urine at once on inclination.

--Dr. J. T. McClanahan.

Dropsical Effusions.

℞ Potass. Tart. Acid..... ʒ iv.
Acidi Boracici..... ʒ j.
Aquæ destil..... ℥ xij.
M. ft. mist. cujus sumatur par quarta tertia quaque hora ad plenam alvi solutionem.

—Dr. Neligan.

General Anasarca.

℞ Pulv. Cantharidis..... ℈ ij.
Ext. Conii..... ℈ j.
Hyd. Subchlor..... ʒ ss.
Pulv. Ipecac..... ℈ j.
M. Ft. massa in pil. xl div. Quarum cap. unam ter de die.

—Dr. H. Green.

Passive Renal Hæmorrhage.

℞ Tr. Rhus Aromatica..... ℥ ss.
Tr. Nux Vomica..... gtt. xv.
Glycerine..... ℥ iij.
M. Sig. Teaspoonful three times a day.

—Dr. J. T. McClanahan.

Uræmia.

℞ Acid. Benzoici..... gr. xx.
Syrupi Tolutani..... ℥ j.
Sig. To be taken every third hour largely diluted with water.

—Dr. DaCosta.

Bladder Affections.

℞ Ext. Opii..... gr. ij.
Aquæ ferventis..... ..... ℥ viij.
Solve, cola per chartam. Tum adde
Hydrarg. Subchlor..... ʒ j.
Mucil. Acaciæ..... ℥ j.
M. ft. injectio, bis in die utend.

—*Coulson*

Incontinence of Urine from Paralysis of Sphincter Vesicæ.

℞ Fl Ext. Rhus Aromatica..... gtt. x.
Sig. This amount three times a day.

—*Dr. A. M. Hayden.*

Desquamative Nephritis.

℞ Cambogiæ pulv..... gr. v ad viij.
Potass. Tart. Acid..... ʒ ss.
Tere simul. ft. pulv., secunda vel tertia quaque die repetendus.

—*Dr. G Johnson.*

Irritable Bladder with Acid Urine.

℞ Inf. Buch..... ℥ vij.
Potass. Bicarb..... ʒ j.
Tinct. Hyoscyami..... ʒ ijss.
Ext. Sarsæ liq..... ʒ iv.
Ft. mist. Sumat cochl. ij ampla ter in die.

—*Coulson.*

Senile Enuresis.

℞ Fl. Ext. Rhus Aromat..... .... gtt. xx.
Sig. This amount four times daily.

—*Dr. W. W. Morrison.*

Psychical Impotence.

℞ Potass. Bromid..... gr. xxx.
Fl. Ext. Gelsem..... gtt. x.
Syr. Aurantii..... ʒ j.
Aq. destil..... ʒ vij.
M. Sig. At noon and at bed time.

℞ Fl. Ext. Damianæ..... ʒ ss.
Tr. Nucis Vomicæ..... gtt. v.
M. Sig. Three times a day.
And
℞ Ferri Dialysat..... ʒ ss.
Sig. Three times a day in sherry wine ℥ j.

—*Dr. C. A. Bryce.*

Diaphoretic and Diuretic.

℞ Sp. Aetheris Nit..... .....
Sp. Ammon. Aromat.....ää ℥ j.
M. Sig. Small teaspoonful two or three times a day in water.

—*Sir A. Cooper.*

Swelled and Scirrhous Prostate.

℞ Carbonis Animalis..... ..... gr. iij.
Amm. Chloridi..... ℈ j.
Ext. Conii..... .. gr. ij.
Glycyrrhizæ pulv., q. s.
Ft. bolus. Cap. unum ter die.

—*Majendie.*

Spasmodic Dysuria.

℞ Ext. Conii..... ..... ʒ j.
Hydrarg. Subchlor..... gr. viij.
Antim. Tart..... gr. jss.
Camphoræ ..... ʒ ss.
Ft. pil. xxiv et sig as indicated.

—*Mr. Allard.*

Uræmia.

℞ Pil. Colocynth Co..... gr. xiv.
Calomelanos..... gr. vj.
M. Ft. pil. ij. Sig. Take at once and four hours afterward take an ounce of compound senna mixture.

—*Dr. G. Johnson.*

Pyelitis.

℞ Fl. Ext. Corn Silk..... ʒ j.
Sig. This amount every two to six hours.

—*Dr. Busey.*

Calculous Disorder, Strangury, Etc.

℞ Mist. Amygdalæ..... Oj.
Syr. Papaveris..... ʒ j.
Ft. mistura for ordinary drink.

—*Dr. E. G. Clark.*

Neuralgia of the Bladder.

℞ Acidi Arseniosi..... gr. ij.
Strychniæ..... gr. j.
Ext. Aconiti..... gr. viij.
Pulv. Opii..... gr. v.
Misce et div. in pil. xvj et sig. One every six hours, or four in twenty-four hours. If nausea ensues give half a pill only.

—*Dr. S. D. Gross.*

Gravel with Difficult and Painful Micturition.

℞ Fl. Ext. Stigmata of Maize.....
Gin.....ää ℥ j.
M. Sig. Teaspoonful three times a day.

—*Dr. Sampson Pope.*

Gonorrhœa.

℞ Cubebæ..... ℥ j.
Ext. Belladonnæ..... ʒ j.
Aquæ ferventis..... ℥ xvj.
Macera, ut fiat injectio.

—*M. Chevallier.*

Acute Stage of Gonorrhœa.

℞ Antim. Tart..... gr. ½.
Magnes. Sulph..... ʒ j.
Potass. Nitrat..... gr. v.
Aquæ..... ℥ j.
Ft. Haustus. To be repeated every fourth or sixth hour.

—*Erichsen.*

Gonorrhœa.

℞ Ext. Kavæ Kavæ, fl.....
Syr. Simpl.....ää ℥ ij.
M. Sig. Teaspoonful three times a day.

—*Dr. J. P. Baird.*

Gonorrhœa.

℞ Acidi Carbolici..... gr. viij.
Acidi Tannici..... gr. viij.
Glycerini..... ʒ ss.
Aquæ..... ℥ j.
Ft. injectio.

—*Mr. G. Ashmead.*

Gonorrhœa.

℞ Copaibæ..... ʒ ij.
Vitelli Ovi unius.
Tere simul et adde
Tinct. Opii..... ♏xx ad ♏xxx
Aquæ..... ℥ viij.
Ft. injectio.

—*Velpeau.*

Syphilis.

℞ Potass. Iodide..... gr. $2\frac{1}{2}$.
Corros. Sublimat..... gr. $\frac{1}{40}$.
M. Ft. pilula.

Gonorrhœa.

℞ Fl. Ext. Eucalyptus Globulus..... ℥ j.
Fl. Ext. Kava Kava..... ℥ ss.
Benzoic Acid..... ʒ jss.
Borax..... ʒ iij.
M. Sig. One teaspoonful three times a day.

—*Dr. R. A. French.*

Gonorrhœa.

℞ Tannin..... ʒ iss.
Vini Burgundicæ..... Oiss.
Ft. injectio. One-third to be injected; if result is unsatisfactory, the remainder also.

—*Niemeyer.*

Chronic Gonorrhœa or Gleet.

℞ Ext. Rhus Aromaticæ, fl..... ℥ ss.
Aquæ puræ..... ..... ℥ j.
Glycerinæ..... ℥ ss.
M. Sig. For injection three times a day after urinating.

—*Dr. J. C. Spiegel.*

Gonorrhœa.

℞ Copaibæ.....
Liq. Potass.....ää ʒ ij.
Mucil. Acaciæ..... ℥ j.
Aquæ Menth. pip., ad..... ℥ vj.
Ft. mistura. Sig. ℥ j ter die.

—*Milton.*

Injection in Urethral Catarrh.

℞ Copaiba ..... ʒ j.
Mucilag. Acaciæ ..... ℥ ss.
Tere simul, et adde
Aquæ Rosæ ..... ℥ vj.
Ft. Injectio.

—*John Hunter.*

Gonorrhœa.

℞ Pil. Copaiba ..... gr. 1½
Resin Guaiac ..... gr. ⅜
Iron Citrate ..... gr. ⅜
Oleoresin Cubebs ..... gr. ⅝
M. Ft. pilula.

Gonorrhœa.

℞ Copaibæ ..... ℥ ij.
Cubebæ ..... ℥ ij.
Aluminis ..... ʒ j.
Ext. Opii ..... gr. v.
Sig. A drachm, increased to two drachms, night and morning.

—*Dr. Dunglison.*

Gonorrhœa.

℞ Copaibæ ..... ʒ vj.
Vitelli Ovi unius.
Decocti Papaveris ..... ℥ ij.
Ft. Injectio.

—*Ricord.*

Syphilis.

℞ Fl. Ext. Berberis Aquifol ..... ℥ iij.
Iod. Potass ..... ʒ iv.
Syr. Simplicis, q. s., ad ..... ℥ viij.
M. Sig. One tablespoonful four times daily.

—*Dr. J. Jackson Crider.*

Chordee.

℞ Ext. Opii..... gr. j.
Camphoræ..... gr. x.
Ft. Suppositorium. To be applied at bedtime.

—*Ricord.*

Chordee.

℞ Pulv. Opii..... gr. j.
Camphoræ..... gr. v.
Ft. pilula. To be taken at night.

—*Erichsen.*

Syphilis.

℞ Hydrarg. Perchlor..... gr. j.
Aquæ..... ℥ j.
Ft. injectio et sig. Inject twelve drops subcutaneously.

—*Niemeyer.*

Syphilis.

℞ Extracti Fol. Carobæ, fl..... ℥ j.
Potassii Iodidi..... ʒ ij.
Elixir Simplicis.....
Aquæ fontanæ, ää q. s., ad..... ℥ iv.
M. Sig. Two teaspoonfuls three times a day.

—*Dr. G. Vaillant.*

Syphilis.

*℞ Fl. Ext. Smilax Sarsaparilla.....
Fl. Ext. Stillingia Sylvatica.....
Fl. Ext. Lappa Minor.....
Fl. Ext. Phytolacca Decandra..... } ää ℥ ij.
Tinct. Xanthoxylum Carolinianum..... ℥ j.
M. Sig. Teaspoonful in water three times a day before meals, and gradually increase to tablespoonful doses.

* This is the celebrated McDade formula endorsed by the late Dr. J. Marion Sims, and which is now manufactured by Parke, Davis & Co. under the name of Alterative Compound.

Injection in Gonorrhœa.

℞ Hydrastinæ Sulph. flav..... cgm. 50
Sulphato Carbolatis Zinci..... cgm. 60
Quiniæ Sulph..... cgm. 30
Acidi Sulph. dil., q. s.
Glycerin purif..... gm. 30
Aquæ Rosæ, ad..... gm. 130
Sig. Use three times a day for injection.

—*Dr. A. Fliesburg.*

Syphilis.

℞ Hydrarg. Proto Iodidi.....
Lactucarii.....ää ʒ jss.
Ext. Opii..... gr. ix.
Ext. Guaiaci..... ʒ j.
M. ft. pil. xxxvj et sig. One pill twice a day.

—*Ricord.*

Scrofulous and Syphilitic Cachexia.

℞ Sanguinis Bovini Exsiccati..... ʒ vj.
Aquæ..... ℥ iv.
M. Ft. sol. et adde
Spts. Vin. Gal .....
Glycerinæ.....ää ℥ j.
M. Sig. Tablespoonful or more every three hours.

—*Dr. F. E. Stewart.*

Primary Syphilis.

℞ Ext. Fol. Carobæ, fl..... gtt. xv.
Sig. This amount three times a day.

—*Dr. Edson.*

Application to Inflamed Ulcers of Glans Penis.

℞ Ung. Hydrargyri..... ..... ʒ iv.
Ol. Amygdalæ dulcis..... ℥ vj.
Tinct. Opii..... ʒ iij.
M. ft. linimentum, bis ter ve in die utendum.

—*St. Marie.*

Fungating Chancre.

℞ Tannin..... ..... ℈j.
Tinct. Lavand. Co..... ʒ ij.
Vini Rubri..... ..... ℥ ix.
Ft. lotio.

—*Erichsen.*

Syphilitic Cachexia.

℞ Ext. Sarsæ Liquidi..... ..... ℥ ss.
Acidi Nitro-Hydrochlor. dil..... ♏xx.
Aquæ..... ℥ iv.
Ft. haustus. Sig. This amount three times a day.

—*Erichsen.*

Syphilis (When Potass. Iodid. Fails.

℞ Ammon. Iodidi..... gr. viij.
Inf. Aurantii..... ℥ j.
M. Sig. To be taken three times a day.

—*Berkeley Hill.*

Gonorrhœa Pill.

℞ Powd. Cubebs..... gr. 1¼
Solid Copaiba..... ..... gr. 1¼
Iron Sulph. Exsic..... gr. ¼
Venice Turpentine..... gr. ¼
M. Ft. pilula.

Formula for the Hypodermic Use of Mercury in Syphilis.

℞ Iodide of Mercury..... 1 gramme.
Iodide of Potassium..... 1 gramme.
Phosphate of Soda, Tribasic..... 2 grammes.
Distilled Water..... 50 centim. cubic.

—*Dr. Yourn.*

Gall Stones.

℞ Aetheris..... ʒ iij to vj.
Ol. Terebinth..... ʒ ij.
M. Sig. Ten or twelve drops in sweetened water morning and evening.

—*Durande.*

Nephritic Albuminuria.

℞ Damianæ tinct .....
Hydrastis Can. tinct.....āā ℥ ij.
Nucis Vom. tinct..... ʒ ij.
Sodæ Hypophosph.....
Potassæ Hypophosph.....āā ʒ ij.
Syrupi Aurantii Cort.....
Cardamomi Co. tinct.....āā ℥ ss.
Aquæ destil. ad..... ℥ viij.
M. Sig. Dessertspoonful after meals and at bed time.

—*Dr. J. F. Hammond.*

Phosphatic Deposits from Urine.

℞ Acidi Phosphorici dil..... ℥ ss.
Inf. Calumbæ..... ℥ vijss.
Tinct. Cardam. Co..... ℥ ss.
Ft. mistura, cujus cap. ℥ j ter die.

—*Dr. Neligan.*

Spermatorrhœa.

℞ Damiana, fl. ext..... ℥ iv.
Tr. Nux Vom..... ʒ ij.
M. Sig. Teaspoonful every five hours. Bathe over whole surface each night.

—*Dr. J. P. Marsh.*

Anaphrodisiac.

℞ Camphoræ.....
Ext. Latucæ.....āā ℈ ijss.
M. ft. pil. xx. From four to six pills to be taken daily.

—*M. Ricord.*

Chronic Cystitis.

℞ Fl. Ext. Stigmata Maidis..... ʒ j.
Sig. This amount every three hours.

—*Dr. T. H. Streets.*

Retention of Urine.

℞ Magnes. Sulphat..... gr. xxx.
Potass. Bicarb..... gr. xx.
Potass. Nitratis..... gr. x.
Aquæ ..... ℥ j.
M. ft. haustus.

—*Sir James Paget.*

Enlarged Prostate and Acute and Subacute Inflammation of that Gland.

℞ Damianæ tinct..... ℥ iij.
Phytolacca dec. tinct..... ℥ j.
Potassii Bromidi..... ʒ ss.
Syrupi Zingiberis..... ℥ ss.
Aquæ destil., q. s., ad..... ℥ vj.
M. Sig. Dessertspoonful every four hours until patient is relieved; then about once in six or eight hours until cured.

—*Dr. J. F. Hammond.*

Hæmorrhage from Kidneys or Bladder.

℞ Acidi Gallici ..... ℈ j.
Mucil. Acaciæ..... ʒ ij.
Aquæ destil..... ℥ iijss.
Syr. Rhoeados..... ʒ ij.
Ft. mist. Et sig. An ounce every second or third hour till hæmorrhage is controlled.

—*Dr. Neligan.*

Atrophy of Testicles with Impotence.

℞ Fer. et. Quin. Cit..... ʒ ij.
Tinct. Cantharis..... gtt. xxx.
Tinct. Berberis Aquifol..... ℥ xvj.
M. Sig. Take two tablespoonfuls fifteen minutes before each meal.

—*Dr. H. B. Stanley.*

Diminished Urine.

℞ Fl. Ext. Corn Silk..... ʒ j.
Sig. This amount every six hours.

—*Dr. T. M. Wright.*

Incontinence of Urine.

℞ Tinct. Cantharidis..... ♏ij.
Tinct. Hyoscyami..... ♏v.
Aquæ..... ʒ ss.
Ft. haustus. quater die sumendus.

—*Dr. Gregory.*

Ulceration of Urethra, Rectum or Vagina.

℞ Copaibæ..... ʒ ij.
Mucil. Acaciæ..... ℥ ss.
M. et adde
Liq. Calcis..... ℥ vj.
Ft. injectio.

—*Mr. Abernethy.*

Cystitis with Prostatitis.

℞ Fl. Ext. Kava Kava.....
Fl. Ext. Yerba Santa.....
Fl. Ext. Buchu.....
Fl. Ext. Par. Brav.....ää 30 grammes.
Sig. Teaspoonful three times a day after meals.
Also,
℞ Liq. Potass..... 30.00 grammes.
Tr. Hyoscyami..... 50.00 grammes.
Syr. Aurant., q. s., ad.....125.00 grammes.
Sig. One or two teaspoonfuls at bedtime in water.

—*Dr. A. Fliesburg.*

Acute Cystitis Complicating Gonorrhœa.

℞ Fl. Ext. Stigmata Maidis..... ʒ j.
Sig. This amount eight times daily.

—*Dr. T. H. Streets.*

Hydrastin in Gonorrhœa.

℞ Hydrastin ..... gr. v.
Potass. Permang..... gr. viij.
Acidi Tannici..... gr. xx.
Aq. Rosarum ad..... ℥ iv.
M. Sig. Inject.

—*Dr. Joseph McChesney.*

Irritable Bladder with Alkaline Urine.

℞ Acidi Nitrici dil..... ʒ j.
Acidi Hydrochlor. dil..... ʒ ss.
Aquæ destil..... ℥ viij.
M. Sumat. coch ij ter die.

—*Coulson.*

Gravel.

℞ Fl. Ext. Stigmata of Maize.....
Gin.....ää ℥ j.
M. Sig. Teaspoonful three times a day.

—*Dr. Sampson Pope.*

Enuresis Nocturna.

℞ Acidi Benzoici..... ʒ ij.
Mannæ, q. s.
Ft. pil. xl et sig. Two pills twice a day.

—*Dr. J. Delcour.*

Bright's Disease Succeeding Scarlet Fever.

℞ Ext. Quebracho Aquosum..... grammes v.
Aqua..... grammes xx.
Sig. A tablespoonful every three hours.

—*Dr. Krauth.*

Hæmorrhagic Diseases of Kidney or Bladder.

℞ Damianæ tinct. .... ℥ ij.
Rhus Glab. tinct. .... ℥ ij.
Morphiæ Sulph. .... gr. iij.
M. Sig. Teaspoonful once in four hours.

—*Dr. J. F. Hammond.*

Dysuria.

℞ Potass. Bromidi .... ʒ iij.
Ammon. Phosphatis .... ʒ ij.
Tr. Gentian Co. .... ʒ ij.
Aquæ Caryophylli ad .... ℥ vj.
M. Sum. cochl. j amplum bis die ex aqua.

—*Dr. Quain.*

Diminished or Suppressed Secretion of Urine with Painful Micturition.

℞ Stigmata of Maize .... ℥ iij.
Syrup Simpl. .... Oj.
Sig. Teaspoonful three times a day.

—*Dr. S. A. Butterfield.*

Cystitis.

℞ Acidi Benzoici ....
Sodii Biborat. ....ää gr. x.
Inf. Buchu .... ℥ ij.
Sig. This amount three or four times a day.

—*Dr. A. J. C. Skene.*

VI.

DISEASES OF NERVOUS SYSTEM.

Chorea.

℞ Zinci Bromidi..... ʒ j.
Syr. Simplicis..... ℥ j.
Sig. Ten drops three times a day, increased as rapidly as the stomach can bear it.

—*Dr. Wm. A. Hammond.*

With the disappearance of symptoms the dose should be gradually diminished.

Cerebral Congestion.

℞ Sodii Bromidi..... ℥ j.
Ext. Ergotæ, fl..... ʒ iv.
M. Sig. A tablespoonful three times a day.

—*Dr. G. H. Naphey.*

Neuralgia.

℞ Fl. Ext. Tonga..... ʒ ss.
Sig. This amount thrice daily.

—*Drs. Ringer and Murrell.*

The Insomnia of Migraine.

℞ Fl. Ext. Jamaica Dogwood..... gtts xxx ad ʒ j.
Sig. This amount to be taken at bed time.

—*Dr. J. F. Fitzsimmons.*

Idiopathic Epilepsy.

℞ Potassi Iodidi.....
Potassi Bromidi.....ää ʒ j.
Ammon. Bromidi..... ʒ ss.
Potass. Bicarbonat..... ℈ ij.
Inf. Columbæ..... ℥ vj.

Sig. A teaspoonful before each meal and three tablespoonfuls at bed time with a little water.

—*Brown-Sequard, M. D.*

Sleeplessness in Uterine Disorders.

℞ Elixir Humuli..... ℥ j.
Elixir Ammoniæ Valerianat.....
Syrupi Lactucarii.....ää ℥ ss.

M. Sig. One dessertspoonful at bed time.

—*Dr. Wm. Goodell.*

Nervous Exhaustion.

℞ Cod Liver Oil..... ʒ iv.
Hypophosphite of Lime..... gr. viij.
Hypophosphite of Soda..... gr. iv.
Gum Arabic, Sugar, Glycerine.
Water and Flavor, q. s.

The above is the composition of Emulsion of Pure Norwegian Cod Liver Oil with Hypophosphites of Lime and Soda made by Messrs. Parke, Davis & Co.

Facial Neuralgia.

℞ Aconitiæ..... gr. ij.
Cerat. Cetacei..... ℥ j.

M. ft. ung. Rub the affected part with a little of the ointment.

—*Dr. Headland.*

Delirium Tremens and in the Advanced Stage of Continued Fevers with Sleeplessness and Extreme Nervous Excitement.

℞ Antim. Tart..... gr. iv.
Tr. Opii..... ʒ j.
Aquæ Camphoræ..... ℥ viij.

Ft. mist. Sumat. cochl. amplum secunda quaque hora.

—*Dr. Graves.*

Neuralgic Pains.

℞ Potassii Cyanidi..... gr. j to iv.
Ol. Amygdalæ..... ..... ʒ ij.
Cerati Galeni (cold cream)..... ℥ ij.
M. ft. unguentum.

—*M. Cazenave.*

As a Hypnotic.

℞ Fl. Ext. Jamaica Dogwood.... ..... ʒ ss.
Sig. This amount at a dose; to be repeated if necessary.

—*F. E. Daniel, M. D.*

Neuralgia Pill.

℞ Quinine Sulph..... ..... gr. ij.
Morphine Sulph..... gr. $\frac{1}{20}$.
Arsenious Acid..... gr. $\frac{1}{20}$.
Ext. Aconite..... gr. $\frac{1}{2}$.
Strychnine..... gr. $\frac{1}{30}$.
M. Ft. pilula.

—*Dr. Gross.*

Nervous Headache.

℞ Ammon. Carb..... ℈ ss.
Pulv. Valerianæ..... ℈ j.
Aquæ Cinnamomi..... ℥ ij.
Ft. haustus.

—*Dr. Joy.*

Hysteria.

℞ Aquæ Camphoræ..... .. ℥ v.
Sp. Ammon. fœtidi..... ʒ v.
Syr. Croci..... ʒ iij.
M. Sumat. cochl. ij ampla pro dosi.

—*Dr. Joy.*

A Sedative.

℞ Ammon. Bromidi..... ℥ jss.
Potass. Bromidi..... ℥ ij.
Potass. Bicarb..... ℥ iij.
Succi Taraxaci..... ℥ jss.
Aquæ ad..... ℥ vj.
M. Capiat cochl. j ampla bis in die ex aqua.

—*Dr. Quain.*

Epilepsy.

℞ Ol. Tiglii..... ♏ j.
Hydrarg. Subchlorid..... gr. iij.
Ext. Anthemidis..... gr. v.
Ft. pil. ij. Sumat. j vel ij alternis auroris.

—*Dr. Thomas.*

Toothache.

℞ Creosoti..... ♏ 75.
Tinct. Pyrethri..... ℥ ijss.
Sig. Soak a little cotton in the mixture and put it in the hollow tooth.

—*Trousseau.*

Toothache.

℞ Pulv. Resinæ Flav..... ℥ ss.
Chloroform., q s., ad Resinum.
Solvendum. Sig. Soak piece of cotton in this solution and insert in cavity.

—*Trousseau.*

An Anodyne.

℞ Potass. Bromidi ..... ℥ ij.
Chloral. Hydrat..... ℥ j.
Syr. Aurantii..... ℥ iv.
Aquæ Caryophylli ad ..... ℥ vj.
M. Cochl. j ampl. ter in die ex aqua cyatho vinoso.

—*Dr. Quain.*

Hypnotic.

℞ Chloral Hydrat..... gr. xxv.
Tinct. Cardom. Co..... ʒ ss.
Syrupi..... ʒ ij.
Inf. Carophylli ad..... ℥ jss.
M. Ft. haustus. Sig. To be taken at bed hour.

—*Dr. Priestley.*

Chorea.

℞ Argenti Nitratis..... gr. iv.
Pil. Aloes et Myrrhæ..... ℈ ij.
Ft. pil. xij. Capiat unam bis die.

—*Dr. Copland.*

Chorea.

℞ Suc. Conii..... ʒ ss.
Sig. Take this amount three times a day.

—*Dr. James Andrews.*

Pain and Sleeplessness.

℞ Codeiæ..... gr. jss.
Aquæ Laurocerasi..... ʒ ijss.
Aquæ Flor. Tiliæ (Common Lime Tree)..... ℥ iij.
Syrupi..... ℥ j.
M. Sumat. cochl. j magnum omni semi hora.

—*Trousseau.*

Facial Neuralgia.

℞ Bromide Potassium..... ℥ ss.
Fl. Ext. Jamaica Dogwood..... ʒ ij.
Syrup, q. s., ad..... ℥ iv.
M. Sig. Teaspoonful every hour at time of paroxysm until relief is afforded.

—*Dr. F. T. Montague.*

Epilepsy.

℞ Ammon. Bromid..... ʒ ijss.
Sodii Bromid..... ʒ ijss.
Aquæ destil..... ℥ x.
M. Sig. Four tablespoonfuls during the day, and if no appreciable effect is noticed after a few days, increase to eight or ten tablespoonfuls.

—*Dr. M. Ball.*

Hemicrania.

℞ Pulv. Digitalis..... gr. ¼.
Quin. Sulph..... gr. jss.
Conf. Rosæ, q. s.
M. Ft. pil. (One to be taken every night for three months)

—*Debout.*

Contraction of the Fingers.

℞ Hydrarg. Iodidi Viridis..... gr. x.
Atropiæ Sulph..... gr. j.
Adip. Præpar..... ℥ ss.
Ft. unguentum.

—*Dupuytren.*

Epilepsy.

℞ Potass. Iodidi..... ʒ iv.
Iodi..... gr. ij.
Aquæ Menth. pip..... .....
Aquæ flor. Aurant.....ää ℥ iij.
M. ft. mist. ex qua sumat. ʒ v ter die.

—*Majendie.*

Chorea of Adults.

℞ Morphiæ Acet..... gr. j to ij.
Inf. Gentianæ Co..... ℥ vss.
Syr. Aurant ..... ℥ ss.
Solve et misce. Sumat. qartam partem ter die.

—*Dr. Thomas.*

Simple Wakefulness.

℞ Ext. Hyoscyami.....
Camphoræ.....
Lupulinæ.....ää gr. iij.
M. et ft. pil. ij to be taken at bed hour.

—*Dr. Stewart.*

Epilepsy.

℞ Ext. Opii..... gr. j.
Plumb. Acet..... gr. iv.
Pulv. Hyoscyami..... gr. viij.
M. ft. pil. viij. Sum j nocte maneque.

—*Recamier.*

Sciatica.

℞ Piscidia Erythrina..... ʒ ss.
Aqua..... ʒ iij.
M. Sig. This amount at a draught on retiring. The same quantity to be repeated in one hour.

—*Dr. J. M. Blackerby.*

Tetanus.

℞ Opii pulv..... ʒ j.
Camphoræ..... gr. xv.
Adipis præp..... ℥ ss.
M. ft. unguentum. To be rubbed on the parts affected with spasm.

—*Dr. Thomas.*

Sick Headache.

℞ Potass. Bromidi..... ℥ j.
Vini Ferri..... ℥ iv.
M. Sig. A teaspoonful three times a day.

—*Peters.*

Hypochondriasis.

℞ Inf. Quassiæ..... ℥ jss.
Myrrhæ..... gr. x.
Potass. Sulphat. cum Sulphure..... ℈ jss.
Tr. Cinnam. Co..... ♏xxx.
M. ft. haustus. Bis in die.

—*Dr. Clark.*

Nervous Headache.

℞ Potass. Bromidi..... gr. v.
Sp. Ammon. Aromat..... ʒ ss.
Potass. Citrat. Efferves..... ℥ j.
M. Sig. To be taken three times a day.

—*Dr. Latham*

Sciatica.

℞ Ung. Veratriæ..... ℥ j.
Ol. Olivæ..... ʒ ss.
Adipis Præparat..... ℥ j.
Ft. unguentum.

—*Dr. F. E. Anstie.*

Neuralgia.

℞ Ext. Hyoscyami.....
Pulv. Valerian Rad.....
Zinci Oxidi.....ää gr. j.
Ft. pilula. Sumat. bis die.

—*Dr. Day.*

Infantile Convulsions.

℞ Ext. Alcoholoci Artemisiæ..... gr. iv.
Acaciæ pulv..... ℈ j.
Sacchari..... ʒ iij.
Mist. Amygdalæ..... ℥ iij.
A teaspoonful every half hour, gradually increasing the dose to two teaspoonfuls.

—*Kölreuter.*

Drowsiness in the Day Time.

℞ Atropiæ..... gr. $\frac{1}{100}$.
Inf. Valerianæ..... ℥ jss.
M. Ft. haustus, ter die sum.

—*Dr. H. Jones.*

Hysteria.

℞ Mist. Asafœtidæ..... ℥ vj.
Tr. Valerianæ Ammon..... ʒ ij.
Sp. Aether..... ʒ j.
M. Ft. mistura cujus sumat. ægra cochl. ij larga sextis horis.

—*Dr. Thomas.*

Nervous Debility.

℞ Phosphorus..... gr. $\frac{1}{100}$.
Iron Carb..... gr. j.
Ext. Nux Vomica..... gr. ⅛.
Quinine Sulph..... gr. j.
M. Ft. pilula.

Epilepsy.

℞ Iron Hydrocyanate..... gr. ½.
Quinine Valerianate..... gr. j.
Zinc Valerianate..... gr. ½.
Ext Valerian..... gr. j.
M. Ft. pilula.

Hydrocephalus.

℞ Pulv. Digital..... gr. vj.
Hydrarg. Subchlor..... gr. xij.
Pulv. Sacchari Albi..... gr. xviij.
M. et div. in pulv. xij. Sig. One powder every six hours.

—*Dr. Merriman.*

Neuralgia, Toothache and Sciatica.

℞ Chaulmoogra Oil.....
Camphor.....
Chloroform.....ää ℥ j.
M. Sig. Rub into the part affected.

—*Jno. Moss.*

Idiopathic Neuralgia.

℞ Ext. Henbane..... gr. 2-3
Ext. Ignatio..... gr. 1-2
Ext. Aconite..... gr. 1-3
Ext. Stramonium..... gr. 1-5
Ext. Conium..... gr. 2-3
Ext. Opium..... gr. 1-2
Ext. Cannabis Indica..... gr. 1-4
Ext. Belladonna..... gr. 1-6
M. Ft pilula.

--*Dr. Brown-Sequard.*

Hypnotic.

℞ Chloral Hydrat..... gr. 180.
Syr. Tolu..... ℥ j.
Aquæ ad..... ℥ iij.
M. Dose, ℥ ss in ℥ ss of water at bed hour.

—*Walshe.*

Sea Sickness.

℞ Cerii Oxalatis..... gr. ij.
Tinct. Valerian Co..... ʒ j.
Aquæ..... ℥ j.
M. Ft. haustus. Sig. Every thirty minutes.

—*Walshe.*

To Prevent Sea Sickness.

℞ Sodii Bromidi..... ʒ iv.
Ammonii Bromidi..... ʒ ij.
Aquæ Menthæ Piperitæ..... ℥ iij.
M. Sig. A teaspoonful before mea's and at bed time. Begin treatment three days before going on board.

—*Dr. G. M. Beard.*

When preparatory treatment has been neglected and the disease fully established, put a teaspoonful of the above in a half-tumbler of water, add a drop of fluid extract ipecac, and give a teaspoonful every five minutes. It generally relieves the patient in less than an hour.

Neuralgia of the Fifth Pair of Nerves.

℞ Menthol..... 1 part.
Bromide of Ethyl..... 2 parts.
Dissolve the menthol in the bromide of ethyl and rub on the affected regions.

—*Dr. F. E. Stewart.*

Headache.

℞ Lactated Pepsin..... gr. j.
Guarana..... gr. ½.
Sodium Bicarb..... gr. j.
Cypripedin..... gr. ½.
M. Ft. pilula.

Hypnotic Mixture of Chloral Hydrate.

℞ Chloral Hydrat..... gr. ix.
Syr. Aurantii.....
Aquæ.....ää ʒ vj.
M. Ft. mist. Sig. Cochl. j magnum ex tis horis.

—*Liebreich.*

Subcutaneous Injection of Chloral.

℞ Chloral Hydrat..... gr. x to xxx.
Aquæ..... ʒ iij.
Solve.

—*Liebreich.*

Subacute Sporadic Spinal Meningitis.

℞ Fl. Ext. Manaca..... ℥ ij.
Sig. Five drops every four hours.

—*Dr. N. D. Gaddy.*

Migraine of the Anæmic Variety.

℞ Nitro-Glycerine (one-tenth)..... ♏xl.
Alcohol..... ʒ vj.
M. ft. sol. (One drop of this solution contains one one-hundredth of a drop of nitro glycerine). Sig. One drop, to be repeated in fifteen minutes if relief be not obtained.

—*Dr. Wm. A. Hammond.*

Dr. Hammond says of this prescription that he has rarely had occasion to use more than two drops before complete relief is afforded.

Neuralgia.

℞ Aconitiæ..... gr. iv.
Veratriæ..... gr. xv.
Glycerini..... ʒ ij.
Cerati..... ʒ vj.
M. Sig. To be rubbed over the parts. Care should be taken to see that there is no abrasion of the skin.

—*Dr. DaCosta.*

Insomnia.

℞ Potass. Bromid..... ʒ vj.
Aquæ destil..... ℥ v.
M. Three teaspoonfuls before dinner and four at bed time with a little wine and water.

—*Dr. Brown-Sequard.*

Hysteria.

℞ Bromide of Sodium..... ...
Bromide of Potassium.....
Bromide of Ammonium.....ää ʒ ijss.
Water..... ℥ viij.
M. Sig. A teaspoonful to a tablespoonful night and morning.

—*Prof. Dujardin-Beaumetz.*

Nervous Headache.

℞ Fl. Ext. Guarana..... ʒ ss.
Sig. This amount three or four times a day.
—*Dr. Jno. A. Heming.*

VII.

DISEASES OF CUTANEOUS SYSTEM.

Obstinate Acne.

℞ Hydrarg. Oxidi Rubri.....
Hydrarg. Ammoniati.....ää gr. v.
Adipis præp..... ℥ j.
Ft. Unguentum.

—*Dr. Tilbury Fox.*

Erysipelas.

℞ Ferri Sulph..... ℥ j.
Aquæ destil..... ℥ xvj.
Ft. lotio. To be applied by compresses, renewed every two or three hours.

—*Prof. Velpeau.*

Scabies.

℞ Sulphuris.....
Ol. Fagi (Tar).....ää ʒ vj.
Saponis Viridis.....
Axungiæ..... ää lb. j.
Cretæ..... ʒ iv.
M. ft. unguentum.

—*Hebra.*

Lotion for Bedsores.

℞ Hydrarg. Perchlor..... gr. ij.
Sp. Rectificat..... ℥ j.
Ft. lotio.

—*Erichsen.*

Chronic Infantile Eczema.

℞ Fl. Ext. Berberis Aquifol..... ℥ ss.
Syrup simplicis.....
Aquæ puræ.....ää ℥ iij.
Potassii Iodidi..... ʒ xv.
M. Sig. Teaspoonful four times a day.

—*Dr. J. Dodge.*

Local Treatment of Erysipelas.

℞ Acid Phenic.....
Alcohol.....ää 1 part.
Spts. Turpentine..... 2 parts.
Tr. Iodine..... ..... 1 part.
Glycerine..... 5 parts.

This mixture produces no pain, and can be applied every two hours. Internally, quinine and digitalis.

—*Dr. Rothe.*

Chronic Eczema.

℞ Calcii Chloridi cryst..... ʒ iv.
Aquæ destil..... ℥ xvj.
M. A teaspoonful three or four times a day in barley water.

—*Cazenave.*

Lotion in Urticaria.

℞ Ammon. Carbonatis..... ʒ ss.
Plumbi Acetatis..... ʒ j.
Glycerinæ..... ℥ j.
Aquæ Rosæ..... ..... ℥ v.
M. Sig. Use as a wash several times daily.

—*Dr. F. Le Sieure Weir.*

Ringworm of the Scalp.

℞ Boracis..... ʒ j.
Aceti destil..... ..... ℥ ij.
Ft. lotio.

—*Dr. Abercrombie*

Pruritus Vulvæ.

℞ Boracis..... ℥ ss.
Aquæ Rosæ..... ℥ viij.
Morph. Sulph..... gr. vj.
M. ft. lotio.

—*Dr. Meigs.*

Old Sores.

℞ Argenti Nitratis..... gr. iijss.
Aquæ destil..... ℥ viij.
Ft. lotio.

—*Hahnemann.*

Excoriations of the Back in Tedious Illness.

℞ Argenti Nitratis..... ..... ʒ j.
Aquæ destil..... ℥ j.
Ft. lotio. To be applied to excoriated surface with camels-hair brush.

—*Dr. A. T. Thomson.*

Obstinate Skin Disease.

℞ Ammoniæ Carb..... ʒ ijss.
Syr. Sarsæ..... .... ℥ viij.
M, A tablespoonful from one to four times a day.

—*Cazenave*

Tinea Favosa.

℞ Aquæ cum Acido-Sulphuroso Saturatæ..... ℥ ij.
Aquæ puræ..... ℥ viij.
M. ft. lotio. To be constantly applied to the scalp.

—*Sir W. Jenner*

To Allay Itching in Cutaneous Affections.

℞ Acidi Hydrocyanici dil..... ʒ jss.
Aquæ destil..... ℥ vijss.
Plumbi Acet..... gr. xvj.
Sp. rectificati..... ʒ ij.
Ft. lotio.

—*Dr. A. T. Thomson.*

Chronic Skin Diseases.

℞ Acidi Arseniosi..... gr. j.
Sacchari puri..... ℈ss.
Tere simul in pulv. subtilis et adde
Micæ panis, q. s.
Misce bene, et div. in pil. xx. Sig. One pill three times a day.

—*Dr. Wood.*

To Abort Boils.

℞ Tinct. Arnicæ..... ʒ j.
Acidi Tannici.....
Pulv. Acaciæ.....ää ʒ ss.
Ft. lotio. Apply over surface with camels-hair brush.

—*Hall.*

Acne.

℞ Calamine..... ℥ ss.
Hydrarg. perchlor..... gr. j.
Zinci Oxidi..... ʒ ij.
Aquæ..... ℥ vj.
Ft. lotio.

—*Dr. Tilbury Fox.*

Eczema.

℞ Syr. Tolu.....
Vini Ferri.....ää ℥ ss.
Liq. Arsenicalis..... ♏xij.
Aquæ Anethi..... ℥ j.
M. A teaspoonful thrice daily, directly after food, for a child two years old.

—*Sir Erasmus Wilson.*

Hospital Gangrene.

℞ Moschi ..... gr. viij.
Pulv. Opii ..... gr. ij.
Camphoræ ..... gr xxiv.

Syrupi q. s. ut ft. massa in pil. vj div. Sig. To be taken during the day.

—*Dupuytren.*

Pruritus Ani.

℞ Acidi Carbolici ..... gr. vj.
Aquæ ..... ℥ j.

Ft. lotio.

—*Mr. Christopher Heath.*

Alterative in Skin Diseases.

℞ Liq. Sodæ Arseniatis ..... ♏xxx.
Sodæ Bicarb. ..... gr. j.
Tinct. Conii ..... ʒ iij.
Inf. Dulcamaræ ..... ℥ vj.

Dose, one-sixth of this amount.

—*Dr. Guy.*

Emollient Application to Chapped Hands.

℞ Glycerini ..... ʒ iv.
Boracis ..... ʒ ss ad ʒ j.
Aquæ Rosæ ..... ℥ vijss.

—*Startin.*

Psoriasis Inveterata.

℞ Liq. Arsenicalis ..... ♏v.
Tinct. Ferri Perchloridi ..... ♏x.
Inf. Quassiæ ..... ℥ j.

Misce et sig. Three times a day.

—*Dr. Guy.*

Herpes Zoster.

℞ Berberis Aquifol. ..... ℥ iv.
Pot. Iodidi..... ʒ iv.
Aquæ..... ℥ iij.
M. Sig. Dose, teaspoonful four times per day.

Dr. J. A. Heming.

Infantile Eczema.

℞ Unguenti Plumbi Oleatis..... ʒ ss.
Pulveris Marantæ..... ..... ʒ j.
Cerati Simplicis..... ℥ ss.
Olei Olivæ, q. s., ut ft. ung. moll.
M. Sig. Apply lightly over the surface, and in case of much pustulation of the surface or a swelling of the glands, the addition of one-half to one-quarter of a drachm of the oleate of mercury to the above will be very advantageous.

Rosacea.

℞ Unguenti Plumbi Oleatis.... .....
Bismuthi Oleatis..... .....ää ʒ j.
M. Sig. Apply a very small piece night and morning.

Eczema of the Anus with External Piles.

℞ Bismuthi Oleatis..... ʒ ij.
Extracti Opii..... ..... gr. x.
Extracti Belladonnæ..... gr. x.
Cerati Simplicis..... ℥ ss.
M. Sig. Apply frequently.

Fissured Eczema of the Plantar and Palmar Surfaces.

℞ Hydrargyri Oleatis..... ℥ ss.
Olei Cadini ..... ʒ ss.
Cerati simplicis..... ℥ ss.
M. Sig. Rub well into the part, after macerating in hot water, night and morning.

The above formulæ of oleates are in use at the Philadelphia Hospital for Diseases of the Skin.

Piles, Eczema, Pruritus of Genitals, Fistula, Rectal Irritations, and for all External Applications.

℞ Menthol..... ʒ j.
Simple Cerate..... ℥ ij.
Ol. Sweet Almonds..... ʒ iss.
Pure Oxide of Zinc..... ʒ j.
Chaulmoogra Oil..... ℥ ss.
Carbolic Acid..... ʒ ss.
M. Sig. Local application.

—*Drs. Salisbury and Cutter.*

Chronic Skin Diseases.

℞ Sodæ Arseniatis..... gr. ij.
Aquæ destil., q. s.
Solve et adde
Guaiaci pulv..... ..... ʒ ss.
Antim. Sulphurati..... ℈ j.
Mucil. Acaciæ, q. s.
Misce et div. in pil. xxiv.

—*Sir E. Wilson.*

To Prevent Bedsores.

℞ Hydrarg. Perchlor..... gr. ij.
Sp. Tenuioris..... ʒ j.
M. ft. lotio.

—*Sir B. Brodie.*

Sloughing Phagedæna.

℞ Cupri Sulph..... gr. j.
Ext. Opii..... gr. v.
Aquæ..... ℥ j.
Ft. lotio.

—*Mr. Erichsen.*

Lotion for Sloughing Ulcer.

℞ Cupri Sulphati..... gr. iv ad gr. viij.
Aquæ..... ℥ viij.
M. Ft. lotio.

—*Sir A. Cooper.*

Eczema Aurium.

℞ Zinci Oxidi.....
Zinci Carbonat.....ää ʒ ij.
Glycerinæ..... ℥ iij.
Aquæ Rosæ, q. s., ad..... ℥ iv.
M. Sig. Shake well before using.

—*Dr. F. Le Sieure Weir.*

Simple Erysipelas.

℞ Tinct. Ferri Perchlor..... ♏xx.
Aquæ..... ℥ j.
Ft. haustus. Sig. To be given every third or fourth hour.

—*Erichsen.*

Sulphide of Calcium in Eczema, Acne, Furuncle, Buboes, Etc.

℞ Calcii Sulphurat. puri..... 0.25
Carbonis Animal..... 1.00
Rad. Liquirit..... 2.00
Ext. Gentian, q. s., ut ft.
Massa dura ex qua forment pil. No. 50, obduce collodio.
℞ Calcii Sulphurat. puri..... 0.1
Glycerini Exsiccati..... 40.00
Liq. Ammon. Anis..... 1.00
M. Sig. 25 drops several times a day.

—*Unna.*

Excoriations of Anus.

℞ Hydrarg. cum Creta..... ʒ ss.
Cerati Cetacei..... ℥ ij.
Ft. unguentum.

—*Dr. Quain.*

Eczema Genitalis.

℞ Tr. Berberis Aquifol.....
Tr. Rumicis Crisp.....ää ℥ iijss.
Tr. Stillingiæ Syl..... ℥ ij.
Potassii Iodidi..... ℥ j.
M. Ft. solution, Sig. Full teaspoonful after meals diluted with water.

—*Dr. J. F. Hammond.*

Eczema of the Genitals, Pruritus and Leucorrhœa.

℞ Chlorate of Potass..... 30 grammes.
Wine of Opium..... 50 grammes.
Pure Water..... 1 quart.
M. Sig. Apply to the parts by linen compresses covered with oil silk.

—*Dr. Beverley Robinson.*

Psoriasis.

℞ Fl. Ext. Berberis Aquifol..... ℥ iij.
Iodide Potassium..... ʒ jv.
Simple Syrup, q. s., ad ... . ℥ viij.
M. Sig. Teaspoonful four times daily.

—*Dr. W. H. Ellett.*

Pruritus of Pregnancy.

℞ Thymol. ..... gr. xv.
Vaseline..... gr. xxx.
Powdered Brick Clay..... ℥ iij.
Dissolve the thymol in the vaseline and rub it up with the clay.

—*Prof. Montrose A. Pallen, M. D.*

This is to be applied to the pruritic parts, washed off every day or two and reapplied.

VIII.

DISEASES OF WOMEN.

Metrorrhagia of Climacteric Period.

℞ Iodoformi..... ʒ ijss.
Gum Tragacanthæ..... gr. xv.
Mucilaginis, q. s.

M. Sig. Divide into ten cylinders, each one and one-half inches in length, and for the five or six days preceding menstruation introduce one of these cylinders into the cavity of the uterus and keep it in place by a pledget of cotton pushed against the cervix.

—*Fordyce Barker, M. D.*

Chronic Cervical Endometritis.

℞ Magnes. Sulphatis..... ..... ℥ ij.
Ferri Sulphatis..... gr. xvj.
Acid. Sulph. dil..... ʒ j.
Aquæ..... Oj.

M. Sig. Two tablespoonfuls in a tumbler of iced water daily on rising.

—*Dr. T. Gaillard Thomas.*

Premature Labor.

℞ Tinct. Viburnum Prunifol. ..... ʒ j.
Aquæ..... ℥ j.

Sig. This amount at once, and repeat it if indicated.

—*Dr. D. B. Nisbet.*

Dysmenorrhœa.

℞ Acidi Nitro-hydrochlor. dil..... ʒ iij.
Aquæ..... ℥ jss.

Ft. mist. cap. cochl. parv. j bis die ex aqua.

—*Dr. Tyler Smith.*

Dysmenorrhœa.

℞ Veratriæ..... gr. ij.
Ol. Rosæ..... ♏j.
Glycerini..... ʒ ss.
Ung. Glycerini..... ℥ j.

M. ut ft. ung. A piece about the size of a filbert to be rubbed in about the pubis every day. (Ung. Glycerini is made by mixing gr. 100 of maize flour with ℥ j of glycerine.)

—*Dr. Tilt.*

Amenorrhœa with Great Debility.

℞ Berberis Aquifol., fl. ext..... ℥ ij.
Cas. Sag., fl. ext..... ℥ j.
Syr. Simplicis..... ʒ iij.

M. Sig. Forty drops three times daily, gradually increasing to sixty.

—*Dr. W. Patton.*

Puerperal Mania.

℞ Camphoræ..... gr. v.
Ext. Hyoscyami..... gr. v.

Ft. pil. ij statim sumendæ.

—*Dr. Gooch.*

Urethritis of Women.

℞ Tinct. Cantharidis.....
Acid. Acetici dil.....ää ℥ vj.

Ft. linimentum. To be rubbed into the perineum at night.

—*Dr. Ashwell.*

Menorrhagia.

℞ Acidi Gallici..... gr. ij.
Ext. Maticæ..... gr. j.
Ext. Opii..... gr. ss.

M. ft. pilula and take three or four during the day.

—*Dr. Tilt.*

Chlorosis.

℞ Ferri Sulph..... ℈j.
Pil. Aloes cum Myrrh..... ʒ j.
Ol. Rutæ..... ♏vj.

M. Ft. massula, et div. in pil. xxiv, e quibus sumantur ij bis quotidie.

—*Dr. Neligan.*

Pneumonia Occurring During Gestation and Threatening Miscarriage.

℞ Fl. Ext. Viburnum Prunifol..... ʒ j.

Sig. This amount every hour until contractions of uterus cease. Then every three hours for twenty-four hours.

—*Dr. J. K. Milbourne.*

Post Partum Hæmorrhage.

℞ Tr. Nux Vomica..... gtt. xx.
Fl. Ext. Ergot..... gtt. xxx.

Dr. Fordyce Barker prescribes the above in post partum hæmorrhage until the uterus is well contracted.

Vomiting of Pregnancy.

℞ Creosoti..... ♏iij.
Belladonnæ pulv..... gr. xij.

M. ft. pil. xij. Sig. One three times a day.

—*Pitschaft.*

Acute Cystitis in Women.

℞ Morphiæ ..... gr. j.
Aquæ..... ℥ j.

Ft. injectio. To be injected into the bladder twice a day in severe cases.

—*Dr. Hicks.*

Sore Nipples.

℞ Ferri Sulph..... ʒ j.
Aquæ destil..... ℥ viij.
Ft. lotio.

—*Dr. Underwood.*

Anodyne in Dysmenorrhœa.

℞ Fl. Ext. Jamaica Dogwood..... ʒ ss.
Sig. This amount at a dose, to be repeated until relief is afforded.

—*Dr. W. F. Sharrer.*

Painful Menstruation.

℞ Ext. Belladonnæ..... ... . gr. viij.
Pulv. Camphoræ..... ʒ j.
Quin. Sulph..... ℈ ij.
M. Ft. pil. xxx et sig. One every hour or two until the pain ceases.

—*Dr. G. Bird.*

Astringent Application to Sore Nipples.

℞ Pulv. Acaciæ..... ʒ ss.
Pulv. Aluminis..... gr. v.
M. ut ft. pulv. Sig. To be applied after suckling.

—*Dr. A. Thompson.*

Threatened Miscarriage.

℞ Tr. Viburnum Prunifol..... gtt. xx.
Aquæ..... ℥ iv.
Sig. Teaspoonful every half hour. This to be used in connection with other means indicated in this condition.

Morning Sickness of Pregnancy.

℞ Cerii Oxalatis.....
Bismuthi Carb.....
Pepsinæ.....ää ʒ j.
M. Ft. pil. xxiv. Sig. Two pills three times a day.

—*Dr. White.*

Amenorrhœa with Epilepsy.

℞ Pulv. Digitalis..... ..... gr. xij.
Pulv. Myrrhæ..... gr. xxiv.
Ferri Sulph..... gr. xij.
Syrupi, q. s.
Ft. pil. xij et sig. One pill three times a day.

—*Dr. Bright.*

Amenorrhœa.

℞ Ext. Black Cohosh..... gr. j.
Sulph. Iron Exsic..... gr. j.
Ext. Cotton Root..... gr j.
Purified Aloes..... gr. j.
M. Ft. pilula

Sedative Application in Uterine Affections.

℞ Aconitiæ..... gr. ij.
Atropiæ Sulph..... gr. viij.
Morphiæ Sulph..... gr. xvj.
Acid. Sulph. dil..... ♏v.
Sp. Vini rect..... ℥ ss.
Glycerini..... ℥ ij.
Aquæ, ad..... ℥ iv.
M. ft. linimentum.

—*Dr. Tilt.*

Flooding After Labor.

℞ Liq. Ergot. Purificat..... ʒ j.
Sig. This amount may be sufficient to control the hæmorrhage. If not, repeat.

—*Dr. Ward.*

Threatened Abortion.

℞ Tinct. Aconiti.....
Tinct. Belladonnæ.....ää ʒ ij.
Aquæ Rosæ..... ℥ iv.
M. ft. embrocatio. Let ʒ ij be rubbed over the sacrum and groin.
—*Dr. Eades.*

Uterine Hæmorrhage.

℞ Fl. Ext. Ustilago Maidis..... ℥ ss.
Syr. Aurantii Cort..... ℥ jss.
M. Sig. A teaspoonful every two hours.
—*Dr. L. B. Firth.*

Hysterical Women.

℞ Inf. Quassiæ..... ℥ ss.
Tinct. Ferri Ammonio-Chlor..... ℥ ss.
Ammon-Carb..... gr. vj.
Syr. Aurantii..... ʒ j.
Aquæ destil..... ʒ vij.
Ft. haustus, bis vel ter quotidie sumendus.
—*Sir Benjamin Brodie.*

Subinvolution of Uterus.

℞ Tinct. Ferri Perchlor..... ♏x.
Liq. Strychniæ..... ♏iij.
Liq. Ergotæ..... ♏xx.
M. Sig. Three times a day in half a wineglassful of water.
—*Dr. L. Athill.*

Obstinate Constipation Complicating Rupture of Perineum and Prolapse of the Uterus.

℞ Fl. Ext. Cascara Sagrada..... ℥ j.
Syr. Simplic.....
Aquæ.....ää ℥ jss.
M. Sig. One teaspoonful after meals.

As a Laxative at Change of Life.

℞ Sulphur Sublim..... ℥ j.
Sodæ Bicarb..... .... ʒ j.
Pulv. Ipecac..... gr. v.
M. Sumat. ℈j ad ℈ij h. s. ex lacte.

—*Dr. Tilt.*

Leucorrhœa.

℞ Hamamelin..... gr. ij.
Senecin..... gr. ½.
Hydrastin..... gr. ½.
M. Ft. pilula.

Puerperal Convulsions.

℞ Aquæ Menth. Viridis..... ℥ viij.
Tartar Emetici..... gr. viij.
Tinct. Opii..... ♏xxx.
Syr. Simpl..... ʒ ij.
M. A tablespoonful every half hour.

—*Dr. Collins.*

Utero-Sedative and Tonic Mixture.

℞ Rhamni Pursh., fl. ext..... 32|00
Ergotæ, fl. ext..... 32|00
Potassii bromidi..... 16|00
Belladonnæ, fl. ext..... 4|00
Nucis Vomicæ..... 6|00
Aq. Camphoræ..... 128|00
M. Sig. Teaspoonful in water after meals.

—*C. Henri Leonard, M. D.*

Dysmenorrhœa Occurring at Beginning of Menstrual Period.

℞ Fl. Ext. Viburn. Prunifol..... ♏xv ad ʒ j.
Sig. This amount to be repeated every one, two or three hours, as indicated.

—*Dr. A. S. Rockwell.*

Amenorrhœa.

℞ Tinct. Myrrhæ..... ℥ j,
Tinct. Hellebori..... ℥ ss.
Tinct. Cantharidis..... ʒ ij.
M. Sig. In doses of 30 drops in a little sugar and water, three times a day.

—*Dr. Ellis.*

Painful Affections of the Breasts.

℞ Atropiæ Sulph..... gr. iv.
Sp. Rectif..... ℥ ss.
Aquæ destil., ad..... ℥ iv.
M. Ft. lotio. To be applied on lint covered with oil skin.

—*Dr. Tilt.*

Dysmenorrhœa.

℞ Morphine Sulph..... gr. $\frac{1}{10}$.
Cimicifugin..... gr. $\frac{2}{3}$.
Quinine Sulph..... gr. $\frac{2}{3}$.
M. Ft. pilula.

Vaginismus.

℞ Ext. Krameriæ..... gr. iij.
Ol. Theobromæ..... gr. v.
Ft. pessarium. One at bed time.

—*Bouchut.*

Retained Placenta.

℞ Ext. Ergotæ Liq..... ♏xxx.
Liq. Strychniæ..... ♏iij.
Ft. haustus et sig. To be given every three hours.

—*Dr. Lombe Athill.*

Amenorrhœa.

℞ Ergotin. ..... gr. j.
Purified Aloes..... gr. j.
Oil Savin..... gr. ½.
Ext. Hellebore..... gr. j.
Iron Sulph. Exsic..... gr. j.
Ft. pilula.

Insomnia of Pregnancy.

℞ Fl. Ext. Jamaica Dogwood..... ʒ j.
Sig. This amount to be taken at a dose and repeated once or twice during the night.

—*Coleman Rogers, M. D.*

Iodoform Pencil for Intra-Uterine Medication.

℞ Iodoform..... ℈ viij.
Pulv. Gum Tragacanth..... gr. xvj.
Glycerine.
Muc. Acacia, āā q. s.
M. Sig. Roll into pencils one and one-fourth inches long and one-eighth inch in diameter. Dry.

—*Dr. C. W. Stevens.*

At the suggestion of Dr. Ephraim Cutter, of New York, these pencils were covered with gelatin by Parke, Davis & Co., so as to isolate the odor. In this form they may be obtained of the manufacturers, and, in the words of Dr. Cutter, make a perfectly elegant crayon for intra-uterine use.

Uterine Hæmorrhage.

℞ Ext. Ergot. Liq..... ♏xl.
Acid. Gallic..... gr. x.
Aquæ Cinnam., ad..... ℥ j.
M. Ft. haustus.

—*London Hospital.*

Sore Nipples.

℞ Hydrarg. Subchlor..... gr. xxx.
Magnes. Carb..... ℈ j.
Ung. Rosæ..... ℥ j.
Ft. unguentum.

—*Dr. Fordyce Barker.*

Threatened Abortion.

℞ Fl. Ext. Viburn. Prunifol..... ʒ j.
Sig. This amount at a draught and repeat in one hour if necessary.

—*Dr. I. J. M. Goss.*

Acne Between Menstrual Periods.

℞ Sulphuris..... ʒ j.
Glycerini..... ℥ j.
Aquæ Rosæ..... ℥ x.
M. Ft. lotio.

—*Dr. Ringer.*

Leucorrhœa.

℞ Fl. Ext. Yerba Santa.....
Fl. Ext. Pin. Canaden.....
Fl. Ext. Hammelis.....āā ʒ iv.
Glycerine, q. s. to make..... ℥ v.
M. Sig. Teaspoonful four times a day.

—*Dr. A. W. Bixby.*

Vomiting of Pregnancy.

℞ Cerii Oxalatis..... gr. j to ij.
Micæ panis, q. s.
Ft. pilula.

—*Sir James Simpson.*

Amenorrhœa from Anæmia and in Chlorosis.

℞ Pulv. Ferri Sulph.....
Potass. Carb. puræ.....ää ʒ ij.
Mucil. Tragacanthæ, q. s.

M. div. in pil. No. 48. To be given daily in dose, gradually increasing until three pills are taken after each meal.

—*Hospital University of Pennsylvania.*

Dysmenorrhœa with Habitual Constipation.

℞ Fl. Ext. Cascara Sagrada.....
Syr. Sarsaparilla Co.....
Glycerine.....ää ℥ j.

M. Sig. Teaspoonful three times daily.

—*Dr. Rex.*

Milk Fever.

℞ Tinct. Aconit. Rad..... gtt. xx.
Antimon. et Potass. Tart..... gr. ij.
Spts. Aetheris Nitrici.....
Syr. Simplicis.....ää ℥ j.
Aquæ Aurant. Flor..... ℥ ij.

Sig. A teaspoonful in a wineglassful of sugar and water every two hours.

—*Dr. Fordyce Barker.*

In addition to this Dr. Barker gives nutritious, easily digested food, applies the child to the breast as soon as the patient has recovered from the exhaustion of labor, attends to the state of the bowels, gives a diaphoretic anodyne, and has the nurse rub the breasts from circumference to nipple with warm sweet oil every three hours.

Uterine Tonic.

℞ Ext. Berberis Aquifol., fl..... ℥ j.
Ext. Viburni Prunifol., fl..... ℥ ss.
Tr. Pulsatillæ..... ʒ j.
Syr. Tolu, q. s., ad..... ℥ iv.

M. Sig. Teaspoonful three times a day before meals in water.

—*Dr. A. J. Roe.*

Metrorrhagia.

℞ Liq. Ferri Sulphat..... ℥ ss.
Aquæ..... ℥ j.

M. Sig. Saturate with this solution the finest cotton wool. Dry and expose to moderate pressure. Wrap a sufficient quantity round a long small piece of whalebone and introducing it into the cavity of the uterus, withdraw the whalebone leaving the cotton *in situ*. Strong thread may be attached to the cotton to withdraw it when necessary. From twelve to twenty-four hours is as long as it should remain. This hæmostatic is that proposed and used by the distinguished gynecologist Dr. J. Marion Sims, which is proof positive of its efficacy.

Anæsthetic During Labor.

℞ Chloral Hydrat..... ʒ iss.
Aquæ Aurantii Floris..... ℥ vj.

M. Sig. A sixth part at completion of first stage of labor. Another dose in about twenty minutes, and a third in about an hour.

—*Dr. W. S. Playfair.*

IX.

MISCELLANEOUS PRESCRIPTIONS.

Barker's Post Partum Pills.

℞ Ext. Colocynth. Co.... .....
Hydrarg. Chlor. Mitis.....ää ʒ xiij.
Ext. Hyoscyami..... gr. xl.
Ext. Nucis Vomicæ.....
Pulv. Aloes.....
Pulv. Ipecac.....ää gr. xx.
M. div. in pil. 120.

—*Dr. Fordyce Barker.*

Paralysis and Lead Colic.

℞ Bruciæ puræ..... gr. xij.
Conf. Rosæ..... ʒ ss.
M. ft. pil. xxv. Sig. One to four pills.

—*Majendie.*

Formula for the Treatment of Granular Lids by Jequirity.

Pulverize 16 Jequirity Beans, macerate in ℥ viij of cold water during 24 hours, then add ℥ viij of hot water and filter immediately after cooling. The infusion thus obtained is to be brushed on the inner surface of the lids or applied on a linen compress to the surface of the lids.

—*De Wecker.*

Injuries of Muscles and Tendons with Rheumatic Diathesis.

℞ Ext. Colchici Acetici..... gr. j.
Pulv. Ipecacuanhæ Co..... gr. x.
Ext. Colocynth. Co..... ..... gr. iv.
Ft. pil. iij.

—*Erichsen.*

Bronchocele.

℞ Tinct. Iodi..... ℥ j.

Inject ♏xxx into the substance of the gland once a week for the first two or three weeks, and after once a fortnight as long as necessary. Give iodide of potassium internally.

—*Dr. Morrell Mackenzie.*

Sedative Pill.

℞ Ext. Musk Root..... gr. ½.
Ext. Henbane..... gr. ½.
Ext. Valerian..... gr. ½.
Ext. Cannabis Indica..... gr. $\frac{1}{10}$.
M. Ft. pilula.

Contusions.

℞ Aceti Com..... ℥ iij.
Aquæ..... ℥ v.
Misce. fiat lotio.

—*Dr. Pereira.*

Coloration of Skin from Taking Nitrate of Silver.

℞ Acidi Nitrici dil..... ʒ j.
Aquæ destil..... ℥ xivss.
Syr. Aurantii..... ℥ jss.
Ft. mistura quotidie sumenda, ope tubuli vitrei, partitis haustibus.

—*Dr. Pereira.*

To Prevent Gastric Disturbance from Jamaica Dogwood.

℞ Fl. Ext. Jamaica Dogwood..... ℥ ij.
Camphor Water.....
Glycerine.....ää ℥ j.
Essence of Wintergreen..... gtt. x.
M. Dose. One or two teaspoonfuls with syrup.

—*Dr. F. L. Rutt.*

As a Dressing for Wounds.

℞ Acidi Carbolici..... ℥ j.
Aquæ destil..... Oij.
Ft. lotio.

—*Lister.*

Removal of Small Morbid Growths.

℞ Acidi Chromici..... gr. 100.
Aquæ..... ʒ j.
Ft. lotio.

—*Mr. J. Marshall.*

Anodyne Pill.

℞ Camphor..... gr. j.
Ext. Henbane..... gr. j.
Morphine Acetate..... gr. $\frac{1}{16}$.
Oil Capsicum..... gr. $\frac{1}{16}$.
M. Ft. pilula.

Mosquito Bites.

℞ Acidi Carbolici..... gr. xxx.
Glycerini..... ʒ iij.
Aquæ Rosæ ad..... ℥ viij.
Ft. lotio.

Paralysis of Lower Limbs.

℞ Tinct. Colocynthidis.....
Tinct. Nucis Vom. .....ää ʒ ij.
Tinct. Pyrethri..... ℥ ss.
M. Forty drops three times a day in infusion of arnica.

—*Vogt.*

Painful Glandular Enlargements.

℞ Tinct. Belladonnæ..... ʒ ij.
Lin. Saponis Co..... ℥ viij.
Ft. linimentum.

—*Dr. Neligan.*

Andrew's Tonic Hæmatic Pill.

℞ Quinine Sulph..... gr. j.
Iron by Hydrogen..... gr. ss.
Arsenious Acid..... gr. $\frac{1}{40}$.
Powd. Ipecac..... gr. $\frac{1}{8}$.
Strychnine Sulph..... gr. $\frac{1}{40}$.
M. Ft. pilula.

Sloughing Incised Wounds.

℞ Acidi Nitrici dil..... ♏x.
Ext. Opii..... gr. v.
Aquæ..... ℥ j.
Ft. lotio.

—*Erichsen.*

Mineral Lemonade.

℞ Acidi Sulph. dil..... ℥ ss.
Syr. Simp..... ℥ ij.
Aquæ..... ʒ xxxij.
M. To be taken as an ordinary drink in cases requiring mineral acids.

—*Trousseau.*

Bronchocele.

℞ Aluminis.....
Ferri Sulph.....
Zinci Sulph.....āā gr. ij.
Aquæ..... ℥ j.
Ft. lotio.

—*Dr. F. P. Atkinson.*

Chronic Ophthalmia.

℞ Pulv. Aluminis..... gr. vj.
Solv. in aquæ rosæ ℥ v ut ft. collyrium.

—*Brande.*

Ophthalmia.

℞ Liq. Ammon. Acet..... ʒ vj.
Aquæ Sambuci..... ℥ vij.
Ft. Collyrium.

—*Ware.*

To Remove the Ill-Effects of Tobacco and Alcoholic Drinks.

℞ Liq. Ammoniæ..... ♏x.
Aquæ cum Saccharo..... ℥ iij.
M. Sig. To be taken in the course of the day.

M. Tessier.

Opacity of the Cornea.

℞ Argenti Nitrat..... ..... gr. iij ad x.
Liq. Plumb. Subacetat..... ..... ♏x ad xx.
Cerati Cetacei..... ℥ j.
M. The size of a pin's head to be put within the eye-lids and repeated according to the degree of inflammation produced.

—*Guthrie.*

Falling Hair.

℞ Vaseline..... .....
Castor Oil..... ....ää ℥ ss.
Liq. Ammon. fortior..... ʒ ss.
Red Oxide of Mercury..... gr. v.
Oil of Rosemary, q. s. to perfume.
M. Sig. Use as a pomade and rub well in.

To Deodorize Iodoform.

℞ Iodoform..... 10 grammes.
Acid. Phenic..... 1 gramme.
M.

℞ Iodoformi..... 15 grammes.
Camphoræ..... 5 grammes.
Wood Charcoal..... 10 grammes.
Powder and mix thoroughly.

℞ Iodoformi..... 15 grammes.
Camphoræ..... 5 grammes.
Oil of Mint..... 2 grammes.
Powder and mix.

The odor can also be concealed by adding a very small quantity of eucalyptus.

Anæmia of Chlorosis.

℞ Ferri Vini Amari..... ℥ vijss.
Tr. Nucis Vomicæ..... ʒ iv.
Liq. Potass. Arsenit..... ʒ ij.
M. Sig. A dessertspoonful in glassful of water after each meal.

—Dr. T. Gaillard Thomas.

Glandular Swellings.

℞ Ext. Hyoscyami..... ʒ ss.
Saponis Albi..... ʒ ij.
Lini Olei..... ℥ vj.
M. ft. linimentum.

—Dupuytren.

To Remove Tetanic Rigidity of Muscles and Tendons.

℞ Iodi..... gr. xij.
Potass. Iodidi..... ℈ iv.
Ol. Nicotianæ..... ♏ iv.
Adipis præp..... ℥ ij.
M. ft. ung.

—Dr. Dewees.

Where an Alterative is Indicated.

℞ Blue Pill..... gr. j.
Powd. Ipecac..... gr. ⅛.
Powd. Opium..... gr. ⅛.
M. Ft. pilula.

To Dilate the Pupil.

℞ Atropiæ..... gr. ij.
Sp. rectificati..... ʒ j.
Aquæ destil..... ʒ viij.
Ft. solutio. Apply one drop to inner surface of the lower eye-lid.
—*Dr. Cooper.*

An Eligible Form of Administering Perchloride of Iron.

℞ Tinct. Ferri Perchlor..... ʒ ij.
Potass. Citratis..... ʒ j.
Syrup Limonis..... ℥ jss.
Aquæ ad..... ℥ vj.
—*Dr. Reed.*

Catarrhal Ophthalmia.

℞ Argenti Nitratis..... gr. iv.
Aquæ destil..... ℥ j.
Ft. collyrium. One drop to be applied by a camels-hair pencil and repeated in five or six hours when the symptoms return.
—*Dr. Mackenzie.*

Chilblains.

℞ Calcis Chloratæ..... ʒ j.
Boracis pulv..... ʒ j.
Adipis..... ℥ j.
Ft. unguentum.
—*Trusseu.*

Tonic at St. Bartholomew's Hospital.

℞ Ferri et Ammon. Cit. ..... gr. viij.
Ammon. Carb. ..... gr. ij.
Sp. Chlorof. ..... ♏x.
Inf. Quassiæ ad ..... ℥j.
M. Ft. haustus.

A Tonic for Children.

℞ Ferri Phosphat. ..... gr. iij.
Pulv. Cinnam. Co. ..... gr. v.
M. Sig. At a draught.

—*Dr. Guy.*

To Promote the Growth of the Hair.

℞ Ung. Ceræ Albæ. ..... ℥ijss.
Bals. Peruviani. ..... ℥ij.
Ol. Lavandulæ. ..... ♏xij.
Ft. unguentum.

—*Dr. Copland.*

Obesity.

℞ Fl. Ext. Fucus Vesiculosus. ..... lb. j.
Sig. Tablespoonful three times a day.

—*Dr. Chapman.*

Tonic at London Consumption Hospital.

℞ Ferri Citrat. ..... gr. v.
Quin. Sulph. ..... gr. j.
Acidi Citrici. ..... gr. x.
Aquæ ad ..... ℥j.
M. Sig. To be taken with ten grains bicarbonate of soda.

To Correct Fetor of the Breath.

℞ Sodæ Chloratæ Liq. ..... ℥jss.
Decoct. Cinch. Flav. ..... ℥v.
Mellis Rosæ. ..... ℥jss.
Ol. Caryophylli (prius cum aliquot sacchari triturari) ♏iv.
M. ft. gargarisma.

—*Trousseau.*

A Sedative Application.

℞ Atropiæ Sulph..... gr. iv.
Morphiæ Sulph..... gr. viij.
Aquæ Rosæ..... ℥ ss.
Glycerini..... ℥ iijss.
M. et fiat linimentum.

—*Dr. Tilt.*

Plethora and Excessive Obesity.

℞ Fl. Ext. Fucus Vesiculosus..... lb. j.
Sig. Teaspoonful gradually increased to two tablespoonfuls thrice daily before meals. This to be conjoined with appropriate diet.

—*Dr. C. W. Mauker.*

Freckles.

℞ Liniment. Calcis..... ℥ ij.
Liq. Ammoniæ..... ʒ ij.
M. Ft. linimentum.

—*Dr. Wood.*

To Cure the Opium and Alcohol Habit.

℞ Fl. Ext. Erythroxylon Coca..... ʒ j.
Sig. This amount in a little water when the desire for opium or whisky is urgent. If this does not stimulate sufficiently to take the place of the accustomed dose of opium or alcohol take another ʒ j dose in half an hour.

—*Dr W. H. Bentley.*

Tonic.

℞ One rennet washed and chopped.
Sherry Wine..... Oj.
Macerate for twelve days, decant, filter and add
Acid Muriat. dil.....
Tr. Nucis Vomicæ.....ää ʒ ij.
Bismuth. Subnit..... ʒ ij.
M. Sig. Teaspoonful in a quarter of a tumbler of water before each meal.

—*Dr. T. G. Thomas.*

X.

COCAINE FORMULÆ.

To Allay Irritation in Chronic Pharyngitis.

℞ Cocaine Hydrochlorate..... ..... gr. jss.
Glycerine..... ℥ ss.
Distilled Water..... ℥ j.
Carbolic Acid..... gr. ⅛.
Sig. Paint over affected parts night and morning.

—*Dr. Proust.*

As a Local Anæsthetic.

℞. Cocaine Hydrochlorate Crystals..... gr. 2¼.
Distilled Water..... ʒ j.
M. Sig. Apply with camels-hair pencil. If the solution is to be kept any length of time use instead of pure water a solution in distilled water, seven grains to the pint, of thymol or of salicylic acid. In a similar manner four-per-cent. solutions may be made of other salts of the alkaloid.

Toothache.

℞ Cocaine Muriate Crystals..... ... gr. x.
Glycerite of Tragacanth, q. s.
Make a mass and insert a minute portion into the cavity of the sensitive tooth.

Neuralgia.

℞ Menthol..... gr. xxx.
Cocaine Hydrochlorate Crystals..... gr. vj.
Alcohol, q. s., ad..... ..... ʒ j.
Chloroform or bromide of ethyl may be advantageously substituted in this formula for alcohol.
M. Sig. For external application.

Another valuable formula for the relief of neuralgia is the following, viz.:

℞ Oil of Cloves..... ʒ j.
Cocaine Muriate Crystals..... gr. xv.
M. Sig. For external application.

Oleate of Cocaine.

℞ Cocaine Alkaloid..... gr. 2½.
Oleic Acid, pure..... ♏xx.
Almond Oil..... ♏xl.

Dissolve the alkaloid in the oleic acid and add the almond oil.

A weak solution of cocaine may also be used with advantage hypodermically in counteracting the effects of the alcohol and opium habits.

A Combination of Cocaine for Insufflation.

Schnitzler ("Ctrlbl. f. d. ges. Therap.") suggests the following:

℞ Hydrochlorate of Cocaine..... 4 to 8 grains.
Hydrochlorate of Morphine..... 3 grains.
Subnitrate of Bismuth, } each..... 75 grains.
White Sugar, }

Or the vapor of the following solution may be inhaled:

℞ Hydrochlorate of Cocaine..... 8 to 16 grains.
Chlorate of Potassium.....150 grains.
Cherry Laurel Water..... 5 drachms.
Water..... ..... 16 ounces.

Cocaine in the Vomiting of Pregnancy.

℞ Hydrochlorate of Cocaine.....5 grains.
Alcohol, enough to dissolve the cocaine.
Water.....10 ounces.

A teaspoonful to be taken every half hour.

INDEX.

PAGE.

Abortion, To Prevent..... 105
Threatened..... 109
Acne, Obstinate Cases of..... 91
Between Menstrual Periods..... 109
Sulphide of Calcium in..... 98
Tilbury Fox's Treatment of..... 94
Acute Nephritis..... 61
Acute Rheumatism..... 2
Ague..... 9
Albuminuria, Nephritic..... 73.
Alcohol, To Remove Ill-Effects of..... 116
Alcohol Habit, Cure of..... 120
Alterative Pill.....12, 118
Alterative Compound (McDade's Formula) for Treatment of Syphilis. 70
Amenorrhœa, Ergotin in..... 108
Formula of Dr. Ellis..... 107
with Epilepsy..... 104
with Debility, Berberis Aquifolium in..... 101
Amaurosis, Rheumatic..... 6
Anæsthetic During Labor..... 111
Anaphrodisiac..... 73
Anasarca, General..... 63
Chronic..... 57
Andrew's Tonic Pill..... 115
Angina Pectoris..... 56
Amyl Nitrite in..... 54
Anodyne, Quain's Formula..... 81
Anodyne Pill..... 114
Anthelmintic..... 24
Anthelmintic Pill..... 16
Anti-Bilious Pill..... 16
Antilithic Formula..... 61
Anus, Excoriations of..... 98
Fissure of..... 25
Ulcer of..... 25
Aortic Insufficiency, Convallaria Majalis in..... 56
Aperient Pill..... 30
Aperient at St. George's Hospital..... 20
Aphonia, Grindelia Robusta in..... 47
Aphthæ.....29, 32
Articular Rheumatism..... 3
Ascarides..... 20
Ascaris Vermicularis..... 24
Asthenic Inflammatory Fever..... 3
Asthma..... 41
Euphorbia Pilulifera in..... 39
Grindelia Robusta in.....40, 52
Inflammatory..... 50
Potassium Nitrate in..... 46

PAGE.
Asthma, Simple Spasmodic..... 50
Atrophy of Testicles..... 74

B.

Barker's Post Partum Pills..... 112
Bedsores, To Prevent. Sir Benjamin Brodie's Formula..... 97
Lotion for..... 91
Berberis Aquifolium in Amenorrhœa..... 101
as an Alterative..... 12
in Chronic Cough..... 49
in Cirrhosis..... 20
in Constipation..... 17
in Eczema..... 92
in Eczema Genitalis..... 98
in Herpes Zoster..... 96
in Intermittent Fever..... 11
in Irritative Dyspepsia..... 25
in Ozena..... 14
in Psoriasis..... 99
in Scrofula..... 12
in Syphilis..... 69
Biliousness, Pill in..... 16
Bladder Affections..... 64
Bladder, Hæmorrhage from..... 74
Irritability of from Acid Urine..... 64
Irritability of from Alkaline Urine..... 76
Neuralgia of..... 66
Boils, Method of Aborting..... 94
Brain, Congestion of..... 78
Breast, Painful Affections of..... 107
Bright's Disease Following Scarlet Fever..... 76
Bronchial Catarrh..... 39
Acute..... 51
Bronchitis, Chronic.....37, 49
Acute..... 37
Acute, in Children..... 37
Catarrhal, Yerba Santa in..... 42
with Hectic Fever, Lippia Mexicana in..... 41
Yerba Santa in..... 40
Chronic, Jamaica Dogwood in..... 51
Bronchocele.....113, 115
Buboes, Sulphide of Calcium in..... 98

C.

Cachexia, Scrofulous and Syphilitic..... 71
Calculous Disorders..... 66
Cancer, Chian Turpentine in..... 9
Prof. Clay's Formula in..... 9
Cancrum Oris..... 24
Cardiac Debility.....56, 58

PAGE.
Cardiac Debility, Fothergill's Treatment of..... 54
Cardiac Hypertrophy in Young Subjects..... 55
Cardiac Neuroses, Convallaria Majalis in..... 54
Caroba in Syphilis..... 70
Cascara Amarga in Hepatic Derangement..... 15
Cascara Cordial in Constipation..... 29
in Dyspepsia..... 17
in Gastric Debility..... 32
Cascara Sagrada as an Alterative..... 12
in Chronic Gastritis..... 22
in Cirrhosis..... 20
in Constipation..... 17
in Deficient Intestinal Secretion..... 29
in Hæmorrhoids..... 20
in Irritative Dyspepsia..... 25
in Portal Congestion..... 20
Catarrh, Acute Bronchial..... 39
Niemeyer's Treatment of..... 51
Catarrh, Acute Gastric..... 28
Catarrhal Bronchitis..... 42
Catarrh, Chronic Nasal..... 43
Gastric..... 15
Infusorial.....38, 52
Menthol in..... 10
of Urethra, Injection in..... 69
Catarrhal Ophthalmia..... 118
Cathartic..... 23
A Prompt..... 18
at St. Mary's Hospital..... 21
Cerebral Congestion..... 78
Cereus Grandiflorus in Palpitation of the Heart..... 59
Chapped Hands, Emollient Application for..... 95
Chapman's Dinner Pill..... 35
Chancre, Fungating..... 72
Chaulmoogra Oil in Neuralgia..... 87
in Rheumatism and Gout..... 5
in Sciatica..... 87
in Toothache..... 87
Chest Affections, Irritant in..... 42
Chian Turpentine in Cancer..... 9
Chilblains..... 118
Chloral Hydrate, Formula for Hypodermic Injection of..... 88
Chlorosis..... 102
Anæmia of..... 117
Treatment of at Hospital of University of Pennsylvania... 110
Cholera, Threatened..... 32
Cholera Morbus, Jamaica Dogwood in..... 24
Chorea of Adults..... 83
Dr. Wm. A. Hammond's Treatment of..... 78
Andrew's Treatment of..... 82

PAGE.
Chorea, Copland's Treatment of..... 82
Chordee, Ricord's Treatment of..... 70
Erichsen's Treatment of..... 70
Christopher's Liver Pill..... 27
Chronic Malaria..... 4
Chronic Rheumatism..... 10
Manaca in..... 7
Cirrhosis, Chronic, Cascara Sagrada in..... 20
Cocaine in Pharyngitis..... 121
as a Local Anæsthetic..... 121
in Toothache..... 121
in Neuralgia.....121, 122
Oleate..... 122
Formula for Insufflation of..... 122
in Vomiting of Pregnancy..... 122
Cold in the Head..... 45
Colic.....27, 31
Painter's..... 26
Coma..... 6
Constipation..... 31
Chronic..... 28
Habitual..... 17
Niemeyer's Treatment of..... 36
Due to Deficient or Perverted Intestinal Secretion..... 29
of Dyspepsia..... 19
with Excessive Dryness of Stools..... 29
Obstinate..... 35
Trousseau's Treatment..... 20
Consumption..... 39
Contraction of the Fingers..... 83
Contusions..... 113
Convallaria Majalis in Cardiac Neuroses..... 54
in Aortic Insufficiency..... 56
in Emphysema..... 43
Convulsions, Infantile..... 85
Coryza, J. Solis Cohn's Treatment of..... 52
Cough Mixture..... 49
Cough, Beverley Robinson's Formula in..... 53
of Consumptives..... 46
Chronic, Yerba Santa in..... 45
Mixture at Guy's Hospital..... 41
Severe Chronic..... 49
Cornea, Opacity of..... 116
Croup.....43, 44
Diphtheritic..... 38
Expectorant in..... 51
Stimulant in..... 47
Threatened..... 47
Treatment of at French Hospital..... 48
Cutaneous Affections, To Allay Itching in..... 94

PAGE.
Cystitis, Acute, Stigmata Maidis in..... 75
Dr. A. J. C. Skene's Treatment of..... 77
Chronic, Stigmata Maidis in..... 74
in Women..... 102
Kava Kava in..... 75

D.

Damiana in Impotency from Excessive Sexual Indulgence..... 60
in Inflammation of Prostate..... 74
in Psychical Impotence..... 65
in Spermatorrhœa..... 73
Debility..... 21
Delirium Tremens..... 79
Desquamative Nephritis..... 64
Diabetes Insipidus, Rhus Aromatica in..... 4
Lactic Acid in..... 14
Rhus Aromatica in..... 10
Saccharine..... 5
Diaphoretic..... 65
Diarrhœa..... 34
Alkaline Treatment of..... 22
Chronic.....25, 34
Trousseau's Treatment of..... 34
Dr. Alonzo Clark's Treatment of..... 15
of Children..... 27
of Children.....17, 32, 34
Excellent Pill in..... 35
Infantile..... 16
of Teething..... 25
Typhoid..... 19
of Phthisis..... 49
Diathesis, Lithic..... 1
Rheumatic..... 112
Uric Acid..... 2
Diphtheria.....2, 10
Gargle in..... 13
Prophylactic Against..... 6
Diphtheritis..... 43
Diphtheritic Croup..... 38
Diuretic.....23, 61, 65
Dropsical Effusions..... 63
Dropsy of Emphysema..... 45
Drowsiness in the Day Time..... 86
Dysentery..... 27
Acute..... 32
Epidemic..... 16
Treatment of at Fever Hospital..... 33
Niemeyer's Treatment of..... 33
Dysmenorrhœa, Anodyne in..... 103
Occurring at Beginning of Menstrual Period..... 106

PAGE.
Dysmenorrhœa, Pill in.... 107
with Habitual Constipation.... 110
Tilt's Treatment of.... 101
Tyler Smith's Treatment of.... 100
Dyspnœa, Convulsive.... 50
of Laryngitis.... 48
Quebracho in....44, 52
Dyspepsia.... 21
Acid.... 30
with Constipation.... 31
Cascara Cordial in.... 18
with Inactive Liver.... 29
Irritative.... 25
Nervous.... 15
with Palpitation.... 35
Dysuria, Quain's Treatment of.... 77
Spasmodic.... 65

E.

Eczema of Anus, Oleate of Bismuth in.... 96
Aurium.... 98
Chronic.... 92
Genitalis, Berberis Aquifolium in.... 98
Infantile, Berberis Aquifolium in.... 92
Oleate of Lead in.... 96
Palmar and Plantar.... 96
Salisbury and Cutter's Formula.... 97
Sir Erasmus Wilson's Treatment of.... 94
Sulphide of Calcium in.... 98
Emetic for Young Children.... 23
in Nocturnal Dyspnœa of Laryngitis.... 48
Emphysema, Asthma of.... 43
Asthmatic Fits of.... 51
Dropsy of.... 45
DaCosta's Treatment of.... 45
Endometritis, Chronic Cervical.... 100
Enuresis Nocturna.... 76
Rhus Aromatica in.... 63
Senile.... 64
Epilepsy.... 81
Idiopathic.... 79
Majendie's Formula.... 83
Dr. M. Ball's Treatment of.... 83
Pill in.... 86
Recamier's Formula.... 84
Erysipelas, Local Treatment of.... 92
Simple, Erichsen's Treatment of.... 98
Velpeau's Formula.... 91
Excoriations.... 93
of Anus.... 98

PAGE.
Expectorant, Fothergill's..... 48
in Phthisis..... 43
Euphorbia Pilulifera in Asthma..... 39

F.

Facial Neuralgia..... 79
Jamaica Dogwood in..... 82
Fetor of Breath, To Correct..... 119
Fevers, Draught in..... 9
Fever, Asthenic Inflammatory..... 3
Early Stage of..... 14
Formula for Sponging the Body in..... 7
Intermittent.....6, 11
Malarial..... 1
Remittent..... 2
Treatment of at French Hospital..... 5
Typhoid..... 3
Jaborandi in..... 7
Niemeyer's Formula in..... 9
Typhus.....11, 13
Yellow..... 9
Fingers, Contraction of..... 83
Fissure of Anus..... 25
Flooding After Labor, Normal Liquid Ergot in..... 104
Freckles..... 120
Furuncle, Sulphide of Calcium in..... 98

G.

Gall Stones..... 73
Gangrene, Hospital..... 95
Gastric Catarrh, Acute..... 28
Chronic..... 15
Gastritis, Chronic..... 22
Gastric Debility with Constipation..... 32
Gastrodynia.....16, 17
Gastro-Enteritis..... 20
Gastric Irritability and Nervous Palpitation..... 30
Ulcer..... 31
Gentian Quinqueflora in Enlargement of the Spleen..... 13
Glandular Enlargements, Painful.....115, 116
Gleet, Erichsen's Treatment of..... 61
Rhus Aromatica in..... 68
Gonorrhœa..... 67
Acute Stage of..... 67
Chevallier's Treatment of..... 67
Cubebs and Copaiba in..... 72
Dunglison's Treatment of..... 69
Hydrastin in..... 76
Injection in..... 71
Kava Kava in.....61, 67

PAGE.
Gonorrhœa, Niemeyer's Treatment of..... 68
Pill in..... 69
Ricord's Treatment of..... 69
Velpeau's Treatment of..... 68
Gout..... 7
Aperient in at University Hospital..... 10
Colchicum in..... 7
Treatment of at St. George's Hospital..... 11
with Fever..... 11
Granular Lids, Formula for Treatment of by Jequirity..... 112
Gravel..... 76
Stigmata Maidis in..... 66
Grindelia Robusta in Aphonia..... 47
in Asthma.....40, 41
Squarrosa in Enlargement of the Spleen..... 35
Robusta in Hay Asthma.....40, 50
Squarrosa in Intermittent Fever..... 6
Guarana in Nervous Headache 90

H.

Hæmoptysis..... 55
Hæmorrhoids..... 19
Hæmorrhage..... 57
Bonjean's Treatment of..... 58
from Bladder or Kidneys..... 74
Farquharson's Treatment of..... 57
from Kidneys or Bladder, Damiana in..... 77
Langenbeck's Treatment of..... 58
Passive Renal..... 63
Post Partum..... 102
To Control External..... 58
Uterine..... 105
Hair, Falling of.....116, 119
Hay Asthma, Grindelia Robusta in.....40, 50
Hay Fever..... 44
Menthol in..... 38
Headache, Guarana in..... 90
Nervous.....80, 85
Pill..... 88
Sick..... 84
Heart, Advanced Disease of..... 56
Heartburn..... 33
Heart, Chronic Disease of, Fothergill's Formula in..... 56
Fatty Degeneration of with Hypertrophy..... 57
Hypertrophy of.....54, 57
Hypertrophy of, Treatment of by Inhalation..... 55
with General Œdema..... 55
Nervous Irritability of..... 59
Neuralgia of, Jamaica Dogwood in..... 57
Neuroses of..... 54

PAGE.
Heart, Palpitation of, Cereus Grandiflorus in..... 58
Hectic Fever of Bronchitis..... 41
Hemicrania..... 83
Hepatic Derangement..... 15
Torpor with Constipation..... 33
Hernia, Strangulated Umbilical..... 22
Herpes Zoster, Berberis Aquifolium in..... 96
Hooping Cough..... 44
Hydrastin in Gonorrhœa..... 76
Hydrocele of Children..... 61
Hydrocephalus..... 86
Hypertrophy of Heart..... 54
Hypnotic, Chloral Hydrate as an..... 87
Jamaica Dogwood as an..... 80
Liebreich's Formula 88
Priestley's Formula..... 82
Hypochondriasis..... 85
Hysteria.....80, 86
Formula of Dujardin-Beaumetz..... 89
Sir Benjamin Brodie's Treatment of..... 105

I.

Impotence from Atrophy of Testicles..... 74
Impotency from Excessive Sexual Indulgence, Damiana in..... 60
Impotence, Psychical, Damiana in..... 65
with Spermatorrhœa..... 60
Incontinence of Urine..... 75
in Children..... 60
from Paralysis of Sphincter Vesicæ..... 64
Indigestion.....21, 29
Indurated Glands..... 8
Infantile Convulsions..... 85
Diarrhœa..... 16
Inflammation of Mucous Membranes..... 10
Influenza..... 50
Infusorial Catarrh.....10, 38, 52
Injuries of Muscles and Tendons..... 112
Insomnia, Brown-Sequard's Formula..... 89
of Migraine, Jamaica Dogwood in..... 78
of Pregnancy..... 108
of Uterine Disorders..... 79
Intercostal Neuralgia..... 46
Intermittent Fever..... 11
Grindelia Squarrosa in..... 6
Intra-Uterine Medication by Iodoform Pencil..... 108
Iodoform, To Deodorize..... 117
Iron Perchloride, How to Administer..... 118
Irritable Bladder..... 64

J.

Jaborandi in Typhoid Fever..... 7

PAGE.
Jamaica Dogwood in Cholera Morbus..... 24
in Chronic Bronchitis..... 51
in Diarrhœa..... 19
in Dysmenorrhœa..... 103
in Facial Neuralgia..... 82
in Insomnia..... 78
in Neuralgia of the Heart..... 57
in Sciatica..... 84
To Prevent Gastric Disturbance from..... 113
Jaundice..... 19
Jequirity in Treatment of Granular Lids..... 112

K.

Kava Kava in Cystitis..... 75
in Gonorrhœa.....61, 67
Kidneys, Bright's Disease of..... 76
Hæmorrhage from..... 74

L.

Larynx, Acute Congestion of..... 40
Follicular Disease of..... 48
Hoarseness from Weakness of..... 44
Laryngitis, Nocturnal Dyspnœa of..... 48
Laryngeal Phthisis..... 39
Laryngismus Stridulus.....41, 48
Laryngitis, Yerba Santa in..... 46
Laxative.....19, 23
at Change of Life..... 106
for Children..... 25
Lead Colic..... 26
Leucorrhœa..... 99
Pill..... 106
Bixby's Pill for..... 109
Lippia Mexicana in Bronchitis..... 41
in Phthisis..... 43
Lithic Diathesis..... 1
Liver Pill, Dr. Christopher's..... 27
Dr. Taylor's..... 34
Low Fevers..... 5
Lumbago..... 12
Lungs, Inflammatory Affections of..... 50
Lymphatics, Enlargement of, Berberis Aquifolium in..... 8

M.

Malaria, Chronic..... 4
Malarial Fever, Niemeyer's Treatment of..... 1
Manaca in Chronic Rheumatism..... 7
in Spinal Meningitis..... 89
Measles.....3, 9
Cough of..... 8

PAGE.
Menorrhagia, Tilt's Treatment of..... 101
Menstruation, Painful..... 103
Menthol in Catarrh.....10, 52
in Diphtheria..... 10
in Hay Fever..... 38
in Intercostal Neuralgia..... 46
in Scarlet Fever..... 10
Mercury, Formula for Hypodermic Use of..... 72
Mercurial Salivation..... 26
Metrorrhagia of Climacteric Period..... 100
Dr. J. Marion Sims' Treatment of..... 111
Micturition, Difficult..... 66
Painful..... 77
Migraine, Insomnia of..... 78
of Anæmia..... 89
Milk Fever..... 110
Mineral Lemonade..... 115
Miscarriage, Threatened..... 103
Viburnum Prunifolium in..... 102
Mitral Insufficiency..... 56
Morbid Growths, Removal of..... 114
Morning Sickness of Pregnancy..... 104
Mosquito Bites..... 114
Mucous Membranes, Inflammation of..... 10

N.

Nasal Catarrh, Chronic, Yerba Reuma in..... 43
Nausea and Vomiting..... 27
Nephritis, Acute.....61, 62
Chronic Interstitial..... 60
Desquamative..... 64
Nervous Debility..... 86
with Constipation..... 30
Dyspepsia, Dr. Wm. A. Hammond's Treatment of..... 15
Excitement of Advanced Stage of Fevers..... 79
Exhaustion..... 79
Headache..... 85
Neuralgia..... 80
Chaulmoogra Oil in..... 87
Cocaine in.....121, 122
Day's Formula..... 85
Donovan's Treatment of..... 12
DaCosta's Formula..... 89
Facial..... 79
Jamaica Dogwood in..... 82
Idiopathic..... 87
Intercostal, Menthol in..... 46
of Bladder..... 66
of Fifth Pair of Nerves..... 88
of the Heart..... 57

PAGE.
Neuralgic Pains, Ointment for..... 80
Neuralgia, Tonga in..... 78
Night Sweats..... 51
Normal Liquid Ergot in Flooding after Labor..... 104

O.

Obesity.....119, 120
Old Sores, Lotion for..... 93
Opacity of Cornea..... 116
Ophthalmia, Chronic..... 116
Catarrhal..... 118
Ozena..... 14
Opium Habit, Cure of..... 120

P.

Painters Colic..... 26
Palmer's Anti-Constipation Pill..... 23
Paralysis of Lower Limbs..... 115
and Lead Colic..... 112
of Sphincter Vesicæ, Rhus Aromatica in..... 64
Penis, Ulcers of..... 71
Pericarditis, Stigmata Maidis in..... 55
Petroleum in Phthisis..... 38
Phagedæna..... 97
Pharyngitis, Cocaine in..... 121
Pharynx, Acute Congestion of..... 40
Relaxation of..... 47
Phosphatic Deposits from Urine..... 73
Phthisis, Diarrhœa of..... 49
Expectorant in..... 42
Incipient Stage of, Lippia Mexicana in..... 43
Laryngeal..... 39
Petroleum in..... 38
Piles, External.....26, 96
Internal, Erichsen's Treatment of..... 21
Salisbury and Cutter's Formula..... 97
Ulcerated..... 24
Placenta, Retention of..... 107
Plethora..... 120
Pleuritis..... 40
Chronic..... 50
Local Treatment of..... 41
Pleurisy, Subacute..... 38
with Effusion..... 46
Pneumonia..... 42
Yerba Santa in..... 38
Portal Congestion, Cascara Sagrada in..... 20
Post Partum Hæmorrhage..... 102
Pill, Barker's..... 112
Premature Labor, Viburnum Prunifolium in..... 100

PAGE.
Prolapse of Rectum..... 26
Prostatitis..... 75
Prostate. Acute Inflammation of..... 74
Enlargement of.....62, 74
Swelled and Scirrhous..... 65
Pruritus Ani..... 95
of Genitals..... 97
of Pregnancy..... 99
Vulvæ..... 93
Psoriasis, Berberis Aquifolium in..... 99
Inveterata..... 95
Puerperal Convulsions..... 106
Mania..... 101
Pupil, To Dilate the..... 118
Purgative for Young Children..... 23
Purpura Hæmorrhagica, Rhus Aromatica in..... 3
Putrid Sore Throat..... 42
Pyelitis, Stigmata Maidis in..... 66

Q.

Quebracho in Bright's Disease of Kidney..... 76
in Dyspnœa.....44, 52
in Hypertrophy of the Heart with General Œdema..... 55

R.

Rectal Irritation..... 97
Rectum, Prolapse of..... 26
Sensitive Ulcer of..... 30
Ulceration of..... 75
Relaxed Throat..... 49
Remittent Fever..... 2
Renal Hæmorrhage, Rhus Aromatica in..... 63
Retention of Urine..... 74
Rheumatism..... 7
Acute..... 2
Rheumatic Amaurosis..... 6
Rheumatism, Articular. Jamaica Dogwood in..... 3
Chaulmoogra Oil in..... 5
Chronic, Manaca in..... 7
Treatment of at Middlesex Hospital..... 10
Diaphoretic in..... 13
Rheumatic Diathesis..... 112
Rheumatism, Donovan's Treatment of..... 12
Rheumatic Gout..... 5
Rhubarb Mixture Squibb's..... 33
Rhus Aromatica in Diabetes.....4, 10
in Enuresis..... 63
in Gleet..... 68
in Purpura Hæmorrhagica..... 3
in Renal Hæmorrhage..... 63

PAGE.
Rickets..... 12
Ringworm of the Scalp..... 92
Rosacea, Oleate of Bismuth in..... 96
Rum Stomach..... 26

S.

Saccharine Diabetes..... 5
Salivation, Mercurial..... 26
Scabies..... 91
Scarlatina.....4, 5, 8, 13
Fothergill's Treatment of..... 42
Scarlet Fever..... 10
Sciatica..... 85
Chaulmoogra Oil in..... 87
Jamaica Dogwood in..... 84
Scrofula..... 5
Erichsen's Treatment of..... 1
Scrofulous Eruptions..... 12
Scrofula, Lugol's Treatment of..... 11
Sea Sickness..... 87
Dr. Beard's Method of Preventing..... 88
Sedative Application, Dr. Tilt's..... 120
Formula, Quain's..... 81
Pil..... 113
Senile Enuresis..... 64
Sexual Debility..... 62
Sick Headache..... 84
Skin Diseases..... 93
Chronic Disease of.....94, 97
Coloration of from Nitrate of Silver..... 113
Diseases, Alterative in..... 95
Sleeplessness..... 82
Sore Nipples..... 103
Dr. Fordyce Barker's Treatment of..... 109
Sore Throat, Malignant..... 45
of Scarlatina..... 42
Relaxed Putrid..... 42
Spasms..... 27
Spermatorrhœa..... 62
Damiana in..... 73
Spinal Meningitis, Subacute, Manaca in..... 89
Spleen, Enlargement of..... 22
Chronic Enlargement of..... 35
Malarial Enlargement of..... 13
Squibb's Rhubarb Mixture..... 33
Stigmata Maidis in Acute Cystitis..... 75
in Cystitis..... 74
in Diminished Urine..... 75
in Gravel..... 66
in Pericarditis..... 55

PAGE.
Stigmata Maidis in Pyelitis..... 66
in Suppression of Urine..... 77
Stomach, Ulcer of..... 17
Stomatitis..... 29
Ulcerosa..... 21
Strangury..... 66
Strumous Affections..... 1
Syphilis, Ashmead's Treatment of..... 68
Berberis Aquifolium in..... 69
Cachexia of..... 71
Erichsen's Formula..... 72
Caroba Leaves in..... 70
McDade's Formula for..... 71
Mercury Hypodermically in..... 72
Niemeyer's Treatment of..... 70
Primary..... 71
Substitute for Iodide of Potassium in..... 72
Subinvolution of Uterus..... 105

T.

Tapeworm.....18, 22, 28
Taylor's Liver Pill..... 34
Testicles, Atrophy of..... 74
Tetanus..... 84
Tetanic Rigidity of Muscles and Tendons..... 117
Throat, Relaxation of..... 49
Tinea Favosa..... 93
Tonga in Neuralgia..... 78
Tonic for Children..... 119
Pill..... 20
at St. Bartholomew's Hospital..... 119
at London Consumption Hospital..... 119
Dr. T. G. Thomas'..... 120
Tonsilitis..... 39
Toothache..... 81
Chaulmoogra Oil in..... 87
Cocaine in..... 122
Tormina of Infants..... 31
Tympanitis..... 4
Typhoid Fever.....3, 9
Convalescence of..... 8
Jaborandi in..... 7
Typhoid Diarrhœa.....4, 19
Typhus Fever.....11, 13
Tuberculous Glands..... 2

U.

Ulcer of Anus..... 25
Chronic Gastric..... 31
Ulcers of Glans Penis..... 71

PAGE.
Ulcer, Sloughing, Sir A. Cooper's Treatment of..... 97
Ulcer of Stomach, Nourishment in..... 17
Umbilical Hernia, Strangulated..... 22
Uræmia.....62, 63, 66
Urethral Catarrh, Injection in..... 69
Urethra, Ulceration of..... 75
Urethritis of Women..... 101
Uric Acid Diathesis 2
Urine, Diminished, Stigmata Maidis in..... 75
Retention of..... 74
Suppression of..... 77
Urticaria, Lotion for..... 92
Ustilago Maidis in Uterine Hæmorrhage..... 105
Uterine Affections, Sedative Application in..... 104
Hæmorrhage, Ustilago Maidis in 105
Tonic..... 110
Uterus, Hæmorrhage from..... 108
Utero Sedative and Tonic Mixture..... 106
Uterus, Subinvolution of..... 105
Uvula, Elongation of..... 28
Relaxation of..... 24

V.

Vaginismus..... 107
Vagina, Ulceration of..... 75
Variola.....4, 12
Viburnum Prunifolium in Dysmenorrhœa 106
in Premature Labor..... 100
in Threatened Miscarriage..... 102
Vomiting of Pregnancy..... 102
Cocaine in..... 122
Sir James Simpson's Treatment of..... 109

W.

Wakefulness..... 84
Wounds, Dressing for..... 114
Sloughing Incised..... 115

Y.

Yellow Fever..... 9
Yerba Reuma in Nasal Catarrh..... 43
Yerba Santa in Bronchitis.....40, 42
in Chronic Bronchitis..... 49
in Chronic Cough..... 49
in Laryngitis..... 46
in Pneumonia..... 38

—THE—

THERAPEUTIC GAZETTE.

EDITED BY

HORATIO C. WOOD, M. D., and ROBT. MEADE SMITH, M. D.,

Professor of Materia Medica and Therapeutics and Diseases of the Nervous System at the University of Pennsylvania.

Professor of Comparative Physiology at the University of Pennsylvania.

SUBSCRIPTION PRICE, $2.00 A YEAR.

THE THERAPEUTIC GAZETTE is a monthly journal of 72 royal octavo double-column pages, devoted to Pharmacology, in the broadest sense of that term, which includes the botanical origin, the chemical constitution, the physiological action, and the therapeutical uses of drugs. It is the only journal in America which covers this important field of research, so rich in its suggestiveness to the practical physician.

It furnishes a resumé of the latest fruits of therapeutic research the world over, and possessed of it the practitioner has at his command a complete digest of universal therapeutic progress.

The success of this journal has been phenomenal. Its *bona fide* subscription list has reached the number of 12,000 and is rapidly increasing.

Remittance for subscription should be addressed to

GEO. S. DAVIS,

Medical Publisher,

Box 470. **DETROIT, MICH.**

—THE—

MEDICAL AGE.

EDITED BY

J. J. MULHERON, M. D.

A Semi-Monthly Journal of Practical Medicine and Medical News.

SUBSCRIPTION PRICE, $1.00 A YEAR.

THE MEDICAL AGE contains 24 large octavo, double-column pages in each of the twenty-four numbers which it supplies to each volume. Its style is crisp and entertaining. It aims, besides furnishing a resumé of medical progress, to keep its readers posted on all events of interest transpiring in the medical world. It contains no lengthy articles, but divesting all its contributions and selected matter of superfluous verbiage, gives their pith and substance. It is preëminently such a journal as the busy practitioner, interested in what is going on about him, will find entertaining and profitable.

GEO. S. DAVIS,

Medical Publisher,

Box 470. DETROIT, MICH.

—THE—

INDEX MEDICUS.

A Monthly Classified Record

OF THE

CURRENT MEDICAL LITERATURE OF THE WORLD.

COMPILED UNDER THE SUPERVISION OF

DR. JOHN S. BILLINGS, SURGEON U. S. ARMY,

AND

DR. ROBERT FLETCHER, M. R. C. S., ENGLAND.

Subscription Price, $10.00 a Year.

☞ The Index Medicus is a work absolutely indispensable to medical writers, teachers, and practitioners.

☞ It renders practicable ready reference to every article on a medical subject published in any part of the world, and thus greatly lightens the labor of research and makes accessible to every subscriber the latest information bearing on any medical topic he may be interested in investigating.

☞ Its convenience, utility, and value as a means of acquiring the most recent and advanced views from the centres of medical learning cannot be overestimated.

☞ It constitutes an imperishable monument of the progress of medical and surgical science.

☞ It is the only complete work of the kind published in the world, and is universally endorsed by the medical press and commended by the most eminent medical men of all countries.

WHY THOSE DESIRING THE WORK SHOULD SUBSCRIBE AT ONCE.

Owing to the great expense entailed by the publication of a work of this nature, the publisher begs to announce that a LIMITED EDITION ONLY will be issued. It will not be possible, therefore, to supply future subscribers with back numbers, and those wishing their subscriptions to date from the beginning of the present volume should send in their orders at once.

☞ All exchanges, books, and pamphlets for notice should be sent to the Index Medicus, Washington, D. C.

☞ Subscriptions and all communications relating to the business management should be addressed to

GEO. S. DAVIS,
Medical Publisher,
DETROIT, MICH.

Box 470.

SANITARY SUGGESTIONS

—ON—

How to Disinfect Our Homes.

A RESUMÉ OF THE LATEST AND BEST INFORMATION ON THE HOUSEHOLD USE OF DISINFECTANTS, DEODORANTS, AND ANTISEPTICS, AND OF PRACTICAL PRECAUTIONS PREVENTIVE OF CHOLERA AND OTHER INFECTIOUS DISEASES.

BY B. W. PALMER, A. M., M. D.

In one Handsome 12mo Volume. Paper. Price, 25 cts.

Physicians are often asked for advice as to the best method of disinfection in scarlet fever, diphtheria, typhoid fever, yellow fever, cholera, and other diseases of a contagious or infectious nature. It is, therefore, absolutely essential to them to know what disinfectants should be used, and to be able to explain in detail how to use them. Text-books do not furnish this information, and the doctor is often at a loss how to obtain it.

Recent experiments have demonstrated the worthlessness of many disinfectants now in general use, and the futility of using even those of value in the manner in which they are usually employed. This book is based chiefly on the recently published reports of the Committee on Disinfectants of the American Public Health Association, whose exhaustive researches and elaborate experiments have settled conclusively the relative value of the many disinfectants on the market, dispelled many popular illusions regarding these agents, and pointed out the way to their rational and effectual use.

It gives, briefly and clearly, the conclusions arrived at by the latest scientific research, shows what disinfectants are worthy of confidence, and points out how they must be used in order to prevent disease.

It supplies, therefore, just the kind of information that physicians most need and can best utilize, and to those wishing to post themselves on this important subject—which is especially important at the present time in view of the possible advent of cholera in the near future—it will be invaluable.

The price, which is merely nominal, makes its possession by every practitioner possible.

☞ Sent, postpaid, upon receipt of price by the publisher.

GEO. S. DAVIS,
Medical Publisher,
Box 470. DETROIT, MICH.

SELECT EXTRA-TROPICAL PLANTS.

READILY ELIGIBLE FOR INDUSTRIAL CULTURE OR NATURALIZATION,
WITH INDICATIONS OF THEIR NATIVE COUNTRIES,
AND SOME OF THEIR USES.

—BY—

BARON FERD. VON MUELLER,

K. C. M. G., M. D., PH. D., F. R. S.

Honorary or Corresponding Member of Scientific Societies and Academies in Philadelphia, New Orleans, San Francisco, Chicago, Kingston, Mexico, Caracas, Buenos Ayres.

Omnia enim in usos suos creata sunt.—Strach, xxxix, 21–26.

American Edition, Revised and Enlarged.

PRICE, $3.00.

This octavo volume of 450 pages is now ready for distribution. The name of its distinguished author, the government botanist of Australia, has for a third of a century been too closely identified with botanical research and the industrial culture of plants, to necessitate any commendation of his literary efforts. To eliminate the results of Baron von Mueller's work from industrial botany, would be to create a hiatus which it would be impossible to supply from the works of any other writer.

The question of tree culture is one to which the people of this country must, before the lapse of many years, of necessity give their attention. In Baron von Mueller's book the trees and plants not indigenous to this country, but capable of cultivation here, are given with such description of them and of the particular sections to which they are adapted, as makes it an indispensable work to those interested in improving our native floral wealth. It is one of those works, moreover, not possessing which any public library is incomplete. Editions of it have already appeared in several European countries, and in India, and the appearance of this American edition is believed to be in response to an existing want in this country.

GEO. S. DAVIS,
Medical Publisher,
DETROIT, MICH.

Box 470.

CLINICAL THERA

—BY—

DR. DUJARDIN-BEAU

Physician to St. Antoine Hospital; Member of the Academy
Council of Hygiene and Salubrity of the

TRANSLATED BY

E. P. HURD, M. D.,

Member of the Massachusetts Medical Society; Vice-Pres
North Medical Society; Physician to the Anna
Hospital, Newburyport, Mass.

It gives the pleasure to announce that it
press, and will shortly have ready for issue, this va
Its pages will be of large octavo size, and its
paper and binding will be of a quality in keeping w
portance of the publication. It will comprehend the
of Nervous Diseases, Blood Diseases and Fevers, an
solute a complete Manual of Practical Medicine wh
gressive physician can well afford to be without. D
Beaumetz is without a peer on the continent of Eur
therapeutics and clinical lecturer, and his publicatio
among the most popular medical works. The transl
well done and is adapted to American practice, with nu
additions, by Dr. E. P. Hurd, and is given to the pub
with a special introduction by the author.

Probably no medical treatise of equal importance
been issued from the press in this country. Under
ing, as it does, the
adaptation to American

CLINICAL THERAPEUTICS.

—BY—

DR. DUJARDIN-BEAUMETZ,

Physician to St. Antoine Hospital; Member of the Academy of Medicine and of the Council of Hygiene and Salubrity of the Seine.

TRANSLATED BY

E. P. HURD, M. D.,

Member of the Massachusetts Medical Society; Vice-President of the Essex North Medical Society; Physician to the Anna Jaques Hospital, Newburyport, Mass.

It gives me pleasure to announce that I have now in press, and will shortly have ready for issue, this valuable work. Its pages will be of large octavo size, and its letter press, paper and binding will be of a quality in keeping with the importance of the publication. It will comprehend the treatment of Nervous Diseases, Blood Diseases and Fevers, and will constitute a complete Manual of Practical Medicine which no progressive physician can well afford to be without. Dujardin-Beaumetz is without a peer on the continent of Europe as a therapeutist and clinical lecturer, and his publications rank among the most popular medical works. The translation is well done and is adapted to American practice, with numerous additions, by Dr. E. P. Hurd, and is given to the profession with a special introduction by the author.

Probably no medical treatise of equal importance has been issued from the press of this country of late years, giving, as it does, the practice of the French school and its adaptation to American practice.

GEO. S. DAVIS,
Medical Publisher,
DETROIT, MICH.

Box 470.

1136636

LANE

MEDICAL LIBRARY

SEAL OF THE LELAND STANFORD JUNIOR UNIVERSITY
SEMPER VIRENS
1885

Gift
San Francisco County Medical
Society